# MUSCLE & NERVE

# SUBJECT INDEX TO VOLUME 16

This index gives the first author (in parentheses) and the first page of the article, abstract, book review, or letter in which the indexed subject occurs. The reader is referred to the author index for the full title and the following code: A = abstract, B = book review, and L = letter.

## A

Abdominal weakness (Krishnamurthy) 1261

α-bungarotoxin (Kennel) 461 (Ward) 348

Acetylcholine receptor (Engel) 1284 (Kaminski) 1332 (Takeo) 840 (Uchitel) 1293

Acetylcholine receptors (Anlar) 1266-L

ACh receptors (Brennan) 513 Acid maltase deficiency (Barohn) 672

(Morgenlander) 1121-A Acoustic myography (Dalton) 255 Action potentials (Dumitru) 237

Action potentials (Dumitru) 237
Acute alcoholic rhabdomyolysis (Kanbe) 1269-L

Acute demyelinating peripheral neuropathy (Konstadoulakis) 431-L Acute median neuropathy at the wrist

(AMN-W) (Holmlund) 1092-A Acute neuropathy (Brown) 706

Adenovirus-targeted gene transfer (Karpati) 1141 Adhesion molecule (Higuchi) 472

Adhesive electrodes (Barohn) 1084-A Adrenomyeloneuropathy (Dunne) 1133-L

Age-related changes (Schellens) 1342 Aging

(Greig) 6 (Sipilä) 294

α-glucosidase deficiency (Barohn) 672 AIDS

(Preston) 1420-L (Simpson) 1103-A

Alcoholic neuropathy (Navarro) 404 Allodynia (Dotson) 1049

ALS (Bromberg) 466 (Bromberg) 1213

(Vu) 1107-A ALS (amyotrophic lateral sclerosis) (Smith) 624

Ameloblastoma of the tibia (Jacobs) 986-L Amplified HIV sequences (Leon-Monzon) 408 Amplitude decay (Taylor) 1181

Amyotrophic lateral sclerosis (Appelbaum) 1416-L (Camu) 569-L

(Chou) 864 (Dettmers) 930 (Eisen) 27 (Fries) 1124-A (Kaji) 872

(Lange) 896 (Maselli) 1193 (Mondelli) 166

(Riaz) 1106-A (Tanaka) 116-L

Amyotrophic lateral sclerosis (ALS) (Eisen) 870 (Shefner) 1088-A

Animal models (Bennett) 1040 Anomalies, of peripheral nerves (Gutmann) 339

Anomalous innervation (Phillips II) 414 Antagonist burst patterns (Rose) 1090-A Antebrachial cutaneous neuropathy

(Donhowe) 1101-A Anterior interosseous nerve syndrome

(AINS) (Baba) 878-L Anterior spinal artery syndrome

(Triggs) 492 Anti-GD<sub>1a</sub> antibody (Yuki) 642 Anti-GM1 antibodies (Uncini) 610

Anti-GM<sub>1</sub> antibody (Yuki) 642 Antiacetylcholine receptor antibody (Takeo) 840

Antibodies (Hahn) 1174 Antiganglioside antibody (Arasaki) 587

(Yuki) 642 Apamin-receptors (Vergara) 935 Area decay (Taylor) 1181

Arterial hypertension (Nogués) 797-L (Swash) 797-L

Arthroscopic surgery (Esselman) 1188 ASAS (Berić) 1017

Atrial arrest (Deymeer) 1359 Atrophy

(Furby) 720 (Greig) 6 (Krippendorf) 99 Attention-deficit hyperactivity disorder (Hooshmand) 1125-A

Auricular nerve injury (Park-Ko) 1102-A

Autoimmune (Kusunoki) 752 Automobile accidents (Wilbourn) 1092-A

Autonomic nervous system (Dettmers) 930

Autonomic nervous system evaluation (Harry) 267 Autonomic neuropathy (Navarro) 404

Autonomic tests (Claus) 757 Autophagic vacuole (Kumamoto) 819

Autopsy (Yuki) 642 Axon membrane function (Nielsen) 283 Axon reflex (Kihara) 655

Axonal and demyelinating polyneuropathy (Bromberg) 262 Axonal excitability (Burke) 1025 Axonal flow (Vergara) 935 Axonal loss (Wu) 1091-A

Axonal microstimulation (Trontelj) 506 Axonal neuropathies (Raynor) 1110-A Axonal sensorimotor polyneuropathy (Ross) 1101-A

Axonopathy (Mitsumoto) 542 Axons (Berciano) 744 Axoplasmic flow (Chou) 864 Axoplasmic transport (Mitsumoto) 542

## В

Baclofen (Obi) 1228 β-adrenoceptor (Cairns) 1317 Becker muscular dystrophy (Rose) 57

(Yoshida) 1161 Bell's (facial) palsy (Gilchrist) 447 Benign congenital myopathy (BCM)

(Dietzen) 328-L Benign focal amyotrophy (BFA) (Claussen) 1108-A

Binary Markov random field (BMRF model) (Howel) 429-L

(Venema) 430-L Bladder stimulation (Lin) 1089-A Blepharospasm

(Cardoso) 904

(McLoon) 737 Blink reflex (Gilchrist) 447 (Leis) 1351 Borrelia burgdorferi infection (Hughes) 221-L Botulinum toxin (Auberle) 1118-A (Cichy) 1118-A (Lange) 677-L (Shaari) 964 (Singer) 677-L (Walker) 181 Brachial demyelinating neuropathy (Claussen) 1108-A Brachial plexopathies (Cros) 1094-A Brachial plexopathy (Maggiano) 1113-A Brachial plexus injuries (Trojaborg) 1095-A Brachial plexus neuropathy (Busis) 1108-A Brachial plexus pathology (Al Midani) 1103-A Bulbospinal neuronopathy (Obi) 1228 Burn injury (Ward) 348

# \_

Caffeine (Dangain) 33 Calcaneal nerve (Toro) 1114-A Calf muscle hypertrophy (Beydoun) 322-L (Krendel) 323-L Cardiac surgery (Veilleux) 1109-A Cardiomyopathy (Campos) 150 Cardiovascular tests (Claus) 757 Carnitine (Campos) 150 Carnitine deficiency (Campos) 150 (Campos) 778 Carnitine palmitoyl transferase deficiency (Vladutiu) 485 Carpal tunnel (Eisen) 787 (Nelson) 1111-A Carpal tunnel syndrome (American Association of Electrodiagnostic Medicine) 1390 (American Association of Electrodiagnostic Medicine) 1392 (Daube) 798-L (Genba) 567-L (Gutmann) 1266-L (Harmon) 1097-A (Hoffen) 1098-A (Holmlund) 1092-A (Johnson) 127 (Lee) 1098-A (Lesser) 1096-A (Myers) 798-L (Nathan) 1377 (Palliyath) 1096-A (Pan) 1082-A (Seror) 1418-L (Uncini) 1366 (Werner) 1093-A (Wilcox) 1265-L Ca-tension (Links) 109-L (Ruff) 109-L

Central motor conduction time (Bötzel) Central pain (Berić) 1017 Cerebral disorders (Kyriakides) 418 Cerebral lesions (Baran) 1118-A Cerebrospinal fluid (CSF) (Barohn) 1083-A Cervical rib syndrome (Spillane) 979-L Chagas' disease (Idiaquez) 1102-A Charcot-Marie-Tooth disease (Cardoso) Charcot-Marie-Tooth neuropathies (Ionasescu) 1232 Chemomyectomy (McLoon) 737 Childhood Guillain-Barré syndrome (Reisin) 1310 Chloroquine myopathy (Kumamoto) 819 Chronic inflammatory demyelinating polyneuropathy (Kiers) 1083-A (Ross) 1102-A (Wilson) 1081-A Chronic myelomonocytic leukemia (Konstadoulakis) 431-L Chronic sensory demyelinating neuropathy (CSDN) (Kuruoglu) 1080-A Ciguatoxin (Cameron) 782 Clonal cultures (Baroffio) 498 CMAP (Chaudhry) 301 Colchicine (Vergara) 935 Complex repetitive discharges (CRD) (Pihko) 63 Compound muscle action potential (CMAP) (Kelkar) 1084-A (Wu) 1091-A Compound muscle action potentials (Brashear) 1113-A (Lee) 1113-A Compound sensory action potentials (Raynor) 1110-A Computed tomography (Sipilä) 294 Computer model (Lester) 43 Computerized tomography (CT) (Chang) 325-L Concentric-macro EMG (ConMac) (Jabre) 1092-A Conduction block (Arasaki) 587 (Lange) 896 (Taylor) 1181 Congenital myasthenia (Sadeh) 177 Congenital myasthenic syndrome (Engel) 1284 (Uchitel) 1293 Contractile properties (Reid) 1239 Contractility (Dangain) 33 (Pagala) 911 Cortical imaging technique (Martinez) Cortical mapping (Stewart) 1115-A

Corticosteroid therapy (Citak) 679-L Corticosteroids (Lacomis) 84

CPEO (Matsuoka) 206

Cramps (McKinley) 947

Cramp (Obi) 1228

Causalgia

1116-A

(Bennett) 1040

(Verdugo) 1056

Central cord syndrome (Vishnubhakat)

Critical illness polyneuropathy (Saadeh) 15
Cushing's syndrome (Lacomis) 880-L
Cutaneous silent period
(Leis) 1085-A
(Leis) 1130-L
(Shefner) 278
(Shefner) 1131-L
Cytochrome c oxidase (Matsuoka) 206

## D

Decision support (Vingtoft) 520 Decomposition algorithm (Barkhaus) 1085-A (Nandedkar) 1086-A Degradation (Takeo) 840 Dementia (Wszolek) 1126-A Demvelination (Berciano) 744 (Bhigjee) 21 (Chaudhry) 301 (Hahn) 1174 (Taylor) 1181 Demyelinative polyneuropathy (Ross) 1102-A (Simpson) 1103-A Denervation (Escobar) 579 (Finkelstein) 769 (Kumamoto) 819 (Lester) 43 DeQuervain's tendinitis (Dillingham) 1098-A Dermatomes (Phillips II) 827 Dermatomyositis (Kaneko) 1135-L Desmin (Baroffio) 498 Diabetes (Kihara) 655 (Palliyath) 1270-L Diabetic neuropathic cachexia (DNC) (Jackson) 1103-A Diabetic neuropathy (Claus) 757 (Johnson) 127 (Nielsen) 283 Diagnosis (Ochoa) 1009 Diagnostic blocks (Verdugo) 1056 Dialysis (Phillips II) 970 Diaphragm (Bolton) 809 (Dewberry) 832 (Saadeh) 15 Diazepam (Obi) 1228 Digital neuropathy of thumb (Jablecki) 1097-A Dilated cardiomyopathy (Yoshida) 1161 Diphtheritic neuropathy (Ghanem) 985-L Dipole localization (Russell) 1127-A Direct gene transfer (Karpati) 1141 Dispersion (Taylor) 1181 Distal latency comparisons (Hennessey) 1112-A Distal symmetric polyneuropathy (DSPN) (Veilleux) 1101-A Distribution of conduction velocities (Chroni) 1302 DMD gene (Yoshida) 1161 Dorsal root (Utzschneider) 958

Dorsal root ganglia (Valmier) 397 Dorsal ulnar cutaneous (DUC) nerve (Beattie) 1094-A Dose (Shaari) 964 Double monoclonal gammopathy (Konstadoulakis) 431-L Double stimulation (Morita) 648 DRG (Utzschneider) 958 p-tubocurarine (Ward) 348 Duchenne dystrophy (Karpati) 1141 Duchenne muscular dystrophy (Fukunaga) 554 (Galasko) 433-L (Péréon) 1423-L Duplication (Ionasescu) 1232 Dynamic contractions (Dalton) 255 Dysphagia (Palace) 680-L Dystonia (Cardoso) 904 Dystrophin (Karpati) 1141 (Yoshida) 1161 Dystrophin gene deletion (Rose) 57 Dystrophy (Brennan) 513 (Dangain) 33

EAMG (Krolick) 110-L (Verschuuren) 110-L e-c coupling (Dangain) 33 E-C coupling (Pagala) 911 Ectopic impulses (Burke) 1025 Edema (Krippendorf) 99 EEG monitoring (Ives) 1125-A EEG with muscle contamination (Sackellares) 1128-A Elbow, neuropathy at (Nelson) 1098-A Elbow pain (Doyle) 1417-L Electric conductivity (Ackmann) 616 Electrical stimulation (Öge) 1154 Electroconvulsive therapy (Brown) 1123-A Electrocution (Triggs) 1115-A Electrode placement (Raynor) 1110-A Electrode sizes (Lee) 1113-A Electrodermal reflex (Dettmers) 930 Electrodes (Ackmann) 616 Electrodiagnosis (Uncini) 1366 Electrodiagnostic (EDX) techniques (Cheong) 1087-A Electrodiagnostic medicine (Campbell) 424 (Kirby) 1087-A Electrodiagnostic testing follow-up (Salone) 1120-A Electromyographic recordings (McManis) 1254 Electromyographic studies (Gitter) 1086-A Electromyography (Ackmann) 616 (Badier) 601 (Berciano) 744 (Dietzen) 328-L (Dumitru) 727 (Haig) 477 (Johnson) 127 (Jones, Jr) 1167 (Pagala) 911 (Reisin) 1310

1119-A Electroneurography (Campbell) 424 Electroneurography index (Solders) 941 Electroneuromyography (Hietaharju) Electrophysiologic testing (McManis) 1254 Electrophysiological studies (Gutmann) 1266-L (Wilcox) 1265-L Electrophysiology (Gutmann) 716 (Kuypers) 634 (Verdugo) 1056 Electrophysiology, beginning of (Cherington) 1119-A Electrostimulation (Furby) 720 Emboli (Kihara) 1383 Emery-Dreifuss dystrophy (Deymeer) 1359 **EMG** (Bromberg) 1213 (Lotz) 530 (Weinberg) 1091-A EMG expert system (Vingtoft) 520 EMG signal (DE Luca) 210 End-plate (Maselli) 548 Energy metabolism (Heerschap) 367 Entrapments (Johnson) 127 Eosinophilia-myalgia syndrome (McKinley) 947 Epidural anesthesia (Sawaya) 883-L Epileptiform discharge (Martinez) 1127-A Essential tremor (Cardoso) 904 (McManis) 1254 **Evoked potentials** (Dumitru) 727 (Reutens) 1338 Excitation-contraction coupling (Cairns) 1317 Experimental allergic neuritis (Hahn) 1174

(Saadeh) 15

(Simmons) 77

Electromyography, quantitative (Ko)

F wave (Chroni) 1302 F waves (Dengler) 876-L (Fisher) 876-L (Grand'Maison) 877-L (Stetson) 877-L (Zwarts) 289 Facial muscles (McLoon) 737 Facial nerve (Öge) 1154 Facial nerve conduction study (Gilchrist) Facial nerves (Tokimura) 882-L Facial paresis (Krishnamurthy) 1261 Facial repetitive nerve stimulation (RNS) test (Claussen) 1090-A Facial synkinesis (Öge) 1154 Fainting goats (Jacome) 1119-A Familial amyloidotic polyneuropathy (FAP) type I (Ando) 978-L Far-field potentials (Dumitru) 237 (Dumitru) 727

Fasciitis (McKinley) 947 Fatigue (DE Luca) 210 (Linssen) 849 (Reid) 1239 (Rodriquez) 188 (VAN DER Hoeven) 312 Fecal incontinence (FI) (Cheong) 1087-A Femoral neuropathy (Hakim) 891 (Vishnubhakat) 1096-A Fetal alcohol syndrome (Hooshmand) 1125-A Fiber density (Schellens) 1342 Fiber diameter distribution (Schellens) 1342 Fiber type grouping (Bodine-Fowler) 379 (Howel) 429-L (Venema) 430-L Fiber types (Elder) 1246 Fibrillation potentials (Carvalho) 432-L Figure 8 coil (Tokimura) 882-L Firing rate behavior, of upper and lower motor neurons (Jabre) 1085-A Fisher's syndrome (FS) (Yuki) 1267-L 5.1.H11 (Baroffio) 498 FK506 (Wilson) 1081-A Flow cytometry (Baroffio) 498 Fluorescent latex microspheres (Meola) Focal dystonia (Ross) 1090-A Focal myositis (Naumann) 1374 Focal neuropathy (Brown) 706 Focal progressive myopathy (Pihko) 63 Footdrop (Jones, Jr) 1167 Forearm (Vennix) 1112-A 4-AP (Utzschneider) 958 Fractal dimension analysis of waveforms (Anmuth) 1122-A Fusimotor neurons (Hagbarth) 693 F-wave latencies (Ghanem) 985-L F-wave parameters (Kiers) 1083-A F-waves (Hoffen) 1081-A (Olney) 878-L

## G

GABA (Obi) 1228 Galvanic skin reflex (Dettmers) 930 Ganglioside (Kusunoki) 752 Gangliosides (Houi) 11 Gene deletion (Yoshida) 1161 Gene therapy (Karpati) 1141 Genetic linkage (Ionasescu) 1232 Globules (Bhigjee) 21 Glucocorticoid deficiency (Normand) 1103-A Glucose-6-phosphate dehydrogenase (Meola) 594 Glycoconjugates (Kusunoki) 752 Glycogen (Shaari) 964 Glycogen depletion (Bodine-Fowler) 379 Glycogen storage myopathy (Rose) 57 GM<sub>1</sub> antibodies (Lange) 896 GM<sub>1</sub> antibody (Thomas) 1104-A Guillain-Barré (GBS) (Brown) 200 Guillain-Barré syndrome (Al-Hakim) 173 (Berciano) 744 (Hahn) 1174

(Rodriquez) 188

(Kiers) 1083-A (Valenstein) 1111-A (Vriesendorp) 1106-A (Yuki) 642

## H

HAM/TSP (Bhigjee) 21 Handcuff neuropathy (Sheean) 325-L Height (Campbell) 424 Height and nerve conduction (Rivner) 562-L (Trojaborg) 563-L Hemifacial spasm (McLoon) 737 (Öge) 1154 Hereditary motor-sensory neuropathy (Cardoso) 904 Herniated disc (Haig) 477 High K+ (Dangain) 33 High-resolution EEG methods (Nunez) 1125-A Hindlimb suspension (Krippendorf) 99 Histochemistry (Finkelstein) 769 (Thomas) 193 Histological analysis (Jozsa) 453 Histology (Lotz) 530 (Naumann) 1374 HIV (Leon-Monzon) 408 (Poncelet) 1127-A HIV infection (Stevenson) 1100-A (Veilleux) 1101-A HIV-positive individuals (Barohn) 1083-A HMSN (Denišlič) 114-L Hodgkin's lymphoma (Creel) 1107-A H-reflex (Alvarez) 1088-A (VAN DER Linden) 374 H-reflex latency (Falco) 1114-A H-reflex measurement (Tseng) 1127-A HTLV-I (Higuchi) 472 HTLV-1 (Dickoff) 162 Human growth hormone (Smith) 624 Human muscle fatigue (Badier) 601 Human muscle satellite cells (Baroffio) Human skeletal muscle (Ruff) 922 Hybrid myotubes (Meola) 594 Hyperalgesia (Ochoa) 1009 Hyperexcitable peripheral nerve (Smith) 1084-A Hyperkalemic periodic paralysis (Mackin) 1120-A

Hypotonia (Kyriakides) 418 Hypoxanthine (Hisatome) 435-L Hypoxemia (Lagier-Tessonnier) 135

## 1

I waves (van der Linden) 374 Idiopathic hypereosinophilic syndrome (Tsai) 112-L IgA monoclonal gammopathy (Simmons) 1130-L IGF-1 (insulin-related growth factor) (Smith) 624 Immunocytochemistry (Naumann) 1374 Immunofluorescence test (Anlar) 1266-L Immunoglobulin (Rich) 1090-A (Takeo) 840 Immunoglobulin therapy (Rich) 1099-A Immunohistochemistry (Dickoff) 162 Immunoreactive (Vladutiu) 485 In vivo 31P NMR spectroscopy (Heerschap) 367 Infection control practices (Kirby) 1087-A Inflammatory myopathy (Leon-Monzon) Infrared oculography (Oey) 142 Inhibition (Leis) 1351 Injection injury (Donhowe) 1101-A (Vennix) 1095-A Inspiratory muscles (Lin) 1088-A Instrumentation (Ackmann) 616 Intercostal muscle (Pagala) 911 Interleukin-2 receptors (McKinley) 947 Interosseous neuropathy (Szabo) 1099-A Intraneural injection (Uncini) 610 Intraneural microstimulation (Torebjörk) 1063 Intravenous immunoglobulin (Rich) 1090-A (Yuki) 220-L Ipsilateral corticonuclear projections (Cocito) 1268-L Ischemia (Kihara) 1383 (Lagier-Tessonnier) 135 Ischemic exercise test (Kanbe) 1269-L Ischemic monomelic neuropathy (IMN) (Andary) 1105-A

## 0

Joplin's 'neuroma' (Cichy) 1095-A

## 84

Kearns-Sayre syndrome (Hisatome) 435-L Kineceptic ankle foot orthosis (Siegel) 983-L K\* channels (Escobar) 579

## L

Lambert-Eaton myasthenic syndrome (Barr) 712

(Jacobs) 986-L (Takamori) 115-L (Tim) 1091-A Lambert-Eaton syndrome (Campbell) 1108-A (Gutmann) 716 Laryngeal electromyography (Gupta) Laryngeal EMG (Simpson) 952 Latex (Massagli) 559 L-carnitine therapy (Campos) 150 Leprous neuropathy (Brown) 1109-A Lidocaine (Cameron) 782 Limb muscle (Lagier-Tessonnier) 135 Lipid accumulation (Campos) 778 Lithotomy position (Hakim) 891 Location (Shaari) 964 Longitudinal study (Greig) 6 Low back pain (Haig) 477 Low-back pair (DE Luca) 210 Lower extremity pain (Jones, Jr) 1167 Lower motor neuron (Chou) 864 Lower motor neuron hypothesis (Eisen) Lyme (Krishnamurthy) 1261 Lyme disease (Gilchrist) 447 Lymphoblasts (Vladutiu) 485 Lymphocyte subsets (Tanaka) 116-L

## M

Macro-EMG (Kuntzer) 857 (Masakado) 987-L Macro-EMG study (Kuruoglu) 1080-A Magnetic (Eaton) 307 Magnetic coil (Tamler) 836 Magnetic cortical stimulation (Maselli) 1116-A Magnetic motor cortex stimulation (VAN DER Linden) 374 Magnetic recording (Kuypers) 634 Magnetic resonance imaging (Naumann) 1374 Magnetic resonance imaging scan (Ives) 1125-A Magnetic resonance spectroscopy (Degroot) 91 Magnetic stimulation (Bischoff) 154 (Machetanz) 1089-A (Öge) 1154 (Tamler) 836 (Zwarts) 289 Magnetic stimulation of the bladder (Lin) 1089-A Magnetic stimulation (MS), of the nervous system (Lin) 1088-A Malignant hyperthermia (Vladutiu) 485 Malignant tumours (Hormigo) 1419-L Mammalian sensory neurons (Valmier) Marfan's syndrome (Spillane) 979-L Martin-Gruber anastomosis (Shapiro) 1112-A mdx mice (Péréon) 1423-L Mechanoreceptors

Hypersensitivity (Massagli) 559

Hypoglossal nerve damage (Wilson)

Hypokalemic periodic paralysis (Links)

Hypokalemic periodic paralysis (HOPP)

Hypokinesia-hypodynamia (Furby) 720

Hypertrophic myopathy

(Bradley) 1133-L

(Pihko) 1133-L

(Links) 109-L

(Ruff) 109-L

1094-A

1132-L

(Dotson) 1049

(Jozsa) 453

Median nerve (Nathan) 1377 Median power frequency (VAN DER Hoeven; 312 Median-ulnar comparative tests (Uncini) Membrane excitability (Ruff) 922 Memory (McKinley) 947 Meningitis (Rich) 1099-A MEPPs (Maselli) 1193 Metachromatic leukodystrophy (Krendel) 1122-A Methocarbamol, intravenous (Voci) 434-L Methods (Reutens) 1338 Mexiletine hydrochloride (Jimi) 885-L. Mexiletine therapy (Rich) 1121-A MHC class I (Higuchi) 472 MHC class II (Higuchi) 472 Microneurography (Burke) 1025 (Hagbarth) 693 (Marchettini) 1033 (Torebjörk) 1063 Microsporidia myositis (Preston) 1420-L Microtubules (Houi) 11 Mitochondria (Campos) 778 Mitochondrial abnormalities (Sadeh) 982-I Mitochondrial DNA deletion (Matsuoka) Mitochondrial encephalomyopathy (Matsuoka) 206 Mitochondrial myopathy (Campos) 150 (Carvalho) 432-L Mixed nerve silent period (Leis) 1130-L Monoclonal gammopathy (Gherardi) 1129-L (Simmons) 77 Mononeuropathies (Wu) 1091-A Monovalent phosphate (Degroot) 91 Morphometry (Schellens) 1342 Motoneuron weakness (Haughton) 1124-A Motor control (Hagbarth) 693 Motor cortex (Reutens) 1338 Motor end-plates (Sadeh) 177 Motor evoked potentials (Brasil-Neto) 1080-A (Masur) 681-L (VAN DER Linden) 374 Motor fibers (Chroni) 1302 Motor nerve dysfunction (Ando) 978-L Motor nerve recording (Kincaid) 392 Motor nerve terminals (Maselli) 1193 Motor neuron (Wiegner) 661 Motor neuron disease (Creel) 1107-A (Ikeda) 979-L (Lange) 896 (Mitsumoto) 542 (Obi) 1228 Motor neuropathy (Lange) 896 Motor unit (Lester) 43 (Wiegner) 661

(Bischoff) 1122-A Motor unit potential reference values (Falck) 1123-A Motor unit recruitment threshold (Masakado) 987-L Motor units (Bodine-Fowler) 379 Motor-evoked potentials (Bötzel) 537 (Tamler) 836 M-response (Morita) 648 Multicenter evaluation (Vingtoft) 520 Multicore disease (Yoshida) 568-L Multifocal conduction block (Kuwabara) 1416-L Multifocal motor neuropathy (Chaudhry) 1081-A (Uncini) 610 (Yuki) 220-L Multiple descending volleys (VAN DER Multiple point stimulation (Doherty) 355 (Doherty) 1326 Multiple sclerosis (Grana) 1117-A (Gutmann) 981-L (Waxman) 1 Muscle activity (Dalton) 255 Muscle afferents (Lagier-Tessonnier) Muscle cell culture (Meola) 594 Muscle contraction (Finkelstein) 769 Muscle contractures (Deymeer) 1359 Muscle development (Elder) 1246 Muscle disease Kaminski) 1332 (Kyriakides) 418 Muscle disease in Saudi Arabia (Bademosi) 1122-A Muscle fatigue (Dalton) 255 (Pagala) 911 Muscle fiber conduction velocity (Ko) 1118-A (Linssen) 849 (Trontelj) 506 (VAN DER Hoeven) 312 Muscle fiber length (Tronteli) 506 Muscle hypertrophy (Gutmann) 1092-A (Pihko) 63 Muscle injury (McLoon) 737 Muscle pain (Marchettini) 1033 Muscle performance (DE Luca) 210 Muscle plasticity (Thomas) 193 Muscle, reinnervation (Lester) 43 Muscle sounds (Rodriquez) 188 Muscle spindles (Hagbarth) 693 Muscle strength (Greig) 6 Motor unit action potential (Ko) 1119-A Muscle-type acetylcholine receptor (Ward) 348 Muscular acidosis (Lagier-Tessonnier) Muscular diseases (Hietaharju) 1204

Motor unit estimate (Doherty) 355

Motor unit number estimation

Motor unit potential (MUP) (Davis)

Motor unit potential abnormalities

(Bromberg) 1213

1326

1087-A

Motor unit estimation (Bromberg) 466

Motor unit number estimates (Doherty)

Muscular fatigue (Degroot) 91 (Finsterer) 801-L Musculocutaneous mononeuropathy (Wegryn) 1099-A Myasthenia gravis (Claussen) 1090-A (Huang) 1124-A (Kaminski) 1332 (Kennel) 461 (Massey) 458 (Nogués) 797-L (Pagala) 911 (Reverte) 879-L (Rich) 1090-A (Swash) 797-L (Takeo) 840 Myasthenia gravis and vitiligo (Topaktas) 566-L Myelin (Kusunoki) 752 Myelin sheath (Berciano) 744 Myelinated nerve fiber (Arasaki) 587 Myelomeningocele (Massagli) 559 Myelopathy (Triggs) 1115-A Myf-4 (Kaminski) 1332 Mylohyoid nerve (Dillingham) 1115-A Myoblast transplantation (Meola) 594 Myogenic development (Velleman) Myogenic jitter (Trontelj) 506 Myokymia (Creel) 1107-A (Gutmann) 981-L Jamieson) 1120-A Myokymia/fasciculation-cramp syndrome (Smith) 1084-A Myopathy (Dewberry) 832 (Dickoff) 162 (Lacomis) 84 (Lacomis) 880-L (Luciano) 1086-A Myosin isoforms (Thomas) 193 Myotendinous junction (Jozsa) 453 Mvotonia (Rich) 1121-A (Vergara) 935 Myotonic dystrophy (Anselmi) 1121-A Myotoxin (McLoon) 737

Needle EMG of the diaphragm (Bolton) 324-L (Saadeh) 323-L Negative chest respirator (Fukunaga) Nerve (Eaton) 307 Nerve anatomy (Esselman) 1188 Nerve compound action signals (Kuypers) 634 Nerve conduction (Burke) 1025 (Cameron) 782 (Chaudhry) 301 (Kihara) 1383 (Navarro) 404 (Nielsen) 283 (Phillips II) 970 (Solders) 941 Nerve conduction studies (Campbell) 424

(Jabre) 1092-A

(Barkhaus) 1085-A

Motor unit (MU) fiber population

Motor unit action potential (MUAP) analysis (Nandedkar) 1086-A

Motor unit action potentials (MUAPs)

(Jones, Jr) 1167 (Nathan) 1377 Nerve conduction studies (NCS's) (Oswald) 1082-A Nerve conduction velocity (Claus) 757 (Ghanem) 985-L (Mondelli) 166 Nerve endings (Jozsa) 453 Nerve excitability test (Gilchrist) 447 Nerve injury (Esselman) 1188 (Utzschneider) 958 (Zhao) 1220 Nerve potential (Morita) 648 Nerve regeneration (Berciano) 744 (Finkelstein) 769 (Kuypers) 634 Nerve repair (Esselman) 1188 Nerve root stimulation (Macdonell) 1089-A Neural conduction (Dumitru) 727 Neuroborreliosis (Krishnamurthy) 1261 Neurofibromatosis (Beydoun) 1136-L Neurogenic and myopathic conditions (Jabre) 1092-A Neurogenic thoracic outlet syndrome (Katirji) 1109-A Neurological disorders (Jimi) 885-L Neuromuscular (Bolton) 809 Neuromuscular block (Kennel) 461 Neuromuscular disease (Siegel) 983-L Neuromuscular diseases (Lacomis) 84 Neuromuscular disorders (Finsterer) 801-L (Vingtoft) 520 Neuromuscular junction

(Gutmann) 716 (Uchitel) 1293 Neuromuscular pain (Ochoa) 997 Neuromuscular paralysis (Aggarwal) 1107-A

Neuromuscular testing (Elder) 1246 Neuromuscular transmission (Brennan) 513 (Maselli) 548

(Pagala) 911 (Sadeh) 177 Neuronopathy (M

(Engel) 1284

Neuronopathy (Mitsumoto) 542 Neuropathic pain

(Bennett) 1040 (Torebjörk) 1063 (Verdugo) 1056 Neuropathy (Al-Hakim) 173

(Bhigjee) 21 (Chaudhry) 301 (England) 1082-A (Houi) 11

(Kihara) 655 (Kusunoki) 752 (Lacomis) 84 (Palliyath) 1270-L (Simmons) 77

Neurophysiological data transfer between computer systems (Quesenberry) 1128-A Neurophysiology (Bolton) 809 Neurotoxicity (Houi) 11 Neurotrophic factor (Valmier) 397 NGF (Valmier) 397 n-hexane neuropathy (Kuwabara) 1416-L Nifedipine (Nogués) 797-L (Swash) 797-L Night ventilation (Fukunaga) 554 No antigen (Bhigjee) 21 Nociceptors (Dotson) 1049 (Torebjörk) 1063 Noise analysis (Engel) 1284 (Uchitel) 1293 Non-reflex stiffness (Sinkjær) 69 Normality (Campbell) 424 Novel avian muscle weakness (Velleman) 881-L Numb hand syndrome (Jackson) 1111-A

0

Obstetrical lumbosacral plexus injury (Gibbs) 801-L Occupational disease (Nathan) 1377 Ocular myasthenia gravis (Oey) 142 (Weinberg) 1091-A Oculopharyngeal muscular dystrophy (Chang) 325-L (Sadeh) 982-L Olivopontocerebellar atrophy (Walker) 1105-A Orbicularis oculi muscle (Oey) 142 Orbicularis oris muscle (Cocito) 1268-L Organophosphate (Maselli) 548 Oropharynx (Chang) 325-L Orthostatic tremor (McManis) 1254 Oximeter (Fukunaga) 554

P

Pain (Dotson) 1049 (Ochoa) 1009 (Shefner) 278 Palmar latency (Eisen) 787 Paralysis (Shaari) 964 Paraneoplastic motor neuron disease (Galloway) 1106-A Paraneoplastic syndrome (Hormigo) 1419-L Paraproteinemias (Simmons) 77 Paraspinal muscles (Haig) 477 Paresthesias (Burke) 1025 Parkinson's disease (Hening) 1117-A (Wszolek) 1126-A Parkinsonism (Cardoso) 904 Patch-clamp (Brennan) 513 Pathology of Guillain-Barré syndrome (Al-Hakim) 173 PCR (Dickoff) 162 Peak latencies of SEPs (Zhao) 1220 Pediatric peroneal mononeuropathy (Jones, Jr) 1167 Perineal muscle (Brashear) 1113-A

Peripheral arterial disease (PAD) (England) 1082-A Peripheral autonomic surface potential (Dettmers) 930 Peripheral nerve disease (Waxman) 1 Peripheral nerve diseases (Hietaharju) 1204 Peripheral nerve stimulation (P-SP) (Prout) 1089-A Peripheral nerves (Solders) 941 Peripheral nerves, anomalies of (Gutmann) 339 Peripheral nervous system (Mondelli) Peripheral neuropathies (Barohn) 1083-A Peripheral neuropathy (Al Rajeh) 1104-A (Bennett) 1040 (Cardoso) 904 (Normand) 1103-A (Phillips II) 970 (Veilleux) 1101-A Peripheral neuropathy (PN) (Jabre) 1082-A Peripheral polyneuropathy, after burns (Margherita) 1080-A Peroneal (Phillips II) 414 Peroneal nerve (Esselman) 1188 Phrenic nerve (Bolton) 809 Phrenic neuropathies (Veilleux) 1109-A Physical activity (Sipilä) 294 Physiology of pain (Marchettini) 1033 Planar pointing movements (Hening) Plantar nerve (Doyle) 1114-A (Toro) 1114-A Plantar neuropathy (Gnatz) 1095-A Plasmapheresis (Yuki) 1267-L POEMS syndrome (Gherardi) 1129-L (Simmons) 1105-A

(Gherardi) 1129-L (Simmons) 1105-A (Thomas) 1104-A Poliomyelitis (Agboatwalla) 798-L Polyarteritis nodosa (Saito) 1104-A Polymerase chain reaction (Kaminski) 1332

Polymyositis (Higuchi) 472 (Kaneko) 1135-L (Palace) 680-L Polyneuropathy (Chroni) 1302 (Gherardi) 1129-L (Greenberg) 1083-A (Simmons) 1130-L (Solders) 941 (Tsai) 112-L

(1sai) 112-L Polyradiculoneuritis (Berciano) 744 Polyradiculoneuropathy (Reisin) 1310 Pompe's disease (Barohn) 672 Posterior antebrachial cutaneous nerve (PACN) neuropathy (Doyle) 1417-L

Postinfectious demyelinating neuropathy (Baba) 878-L Postmortem findings of Guillain–Barré

syndrome (Al-Hakim) 173 Postpartum neuropathy (Hakim) 891 Posttetanic exhaustion (Gutmann) 716 Potassium (Péréon) 1423-L Potassium channel (Utzschneider) 958 Potentiation (Leis) 1351 Power spectrum (Badier) 601 (Linssen) 849

Practice parameter for electrodiagnostic studies in carpal tunnel syndrome (American Association of Electrodiagnostic Medicine) 1390 Predictive value (Nathan) 1377 Pregnancy (Massey) 458

Prognosis (Kyriakides) 418 Progressive spinal muscular atrophy (Uncini) 610

Pronator teres syndrome (Stevenson) 1100-A

Proteases (Kumamoto) 819
Proximal median neuropathies
(Gross) 321-L
(Stewart) 321-L
Proximal versus distal saphenous NCS's

(Oswald) 1082-A Pseudotumor (Naumann) 1374

Q

Quadriceps femoris (Rodriquez) 188 Quantify (Shaari) 964 Quantitative analysis (Kuypers) 634 Quantitative sensory thermotest (Verdugo) 1056

R

Radial mononeuropathy, pediatric (Escolar) 1100-A

(Brown) 706 (Hennessey) 1112-A (Vennix) 1112-A Radiculopathy (Bischoff) 154

(Haig) 477 Ragged-red fiber (Campos) 778 Rat (Kihara) 1383

Rat soleus muscle (Cairns) 1317 Rat tail nerve (Nielsen) 283

Receiver operating characteristic curves (Eisen) 787

(Reid) 1239

(VAN DER Hoeven) 312 Recovery curve (Morita) 648 Recurrent inhibitory pathways (Shefner)

1088-A Reference electrode (Kincaid) 392

Reference electrode (Kincaid) 39 Reference ranges (Campbell) 1415-L

(Howel) 1415-L Reference values (Campbell) 424 Referral of deep pain (Marchettini)

Reflex stiffness (Sinkjær) 69 Reflex sympathetic dystrophy (Heerschap) 367 (Verdugo) 1056

Refractory periods (Cameron) 782 Refsum's disease (Kuntzer) 857

Reinnervation (Thomas) 193 (Wilson) 1094-A Relapsing Guillain-Barré syndrome (Al-Hakim) 173

Repetitive nerve stimulation (Kennel) 461

(Oey) 142 Reporter genes (Karpati) 1141 Reproducibility

(Bromberg) 466 (Bromberg) 1213 (Linssen) 849

Resonance (Eaton) 307

Respiration (Bolton) 809 (Saadeh) 15 Respiratory chi

Respiratory chain (Campos) 778

Respiratory failure (Barr) 712 (Saadeh) 15

Respiratory function (Fukunaga) 554 Respiratory sinus arrhythmia (Harry)

Review, of literature on carpal tunnel syndrome (American Association of Electrodiagnostic Medicine) 1392 Rhizotomy (Phillips II) 827

Rigid spine (Lotz) 530

Rolandic epilepsy (Legarda) 1126-A Root stimulation

(Tamler) 836 (Zwarts) 289

R-R interval variation (Harry) 267

S

Saphenous nerve (Oswald) 1082-A

(Phillips II) 827

Saphenous nerve injury (Vennix) 1095-A

Sarcoidosis (Dewberry) 832 Scalenus anticus syndrome (Katirji) 1109-A

Scapular winging (Tomski) 1100-A Scapuloperoneal syndrome (Barohn) 672

(Deymeer) 1359 Schizophrenia (Ford) 1123-A

SCI (Berić) 1017 Sciatic nerve (Arasaki) 587

Sciatic nerve, of the frog (Theophilidis)

113-L Scleroderma (Hietaharju) 1204

Scoliosis (Galasko) 433-L Screening (Ionasescu) 1232 Segmental zoster paresis (SZP)

(Merchut) 1093-A Self-reinnervation (Bodine-Fowler) 379

Sensitization (Kennel) 461 (Torebjörk) 1063

Sensorimotor demyelinating polyneuropathy (Kuntzer) 857 Sensorimotor neuropathy (Wilson)

1081-A Sensory action potential (Shefner) 278

Sensory fibers (Mondelli) 166 (Zhao) 1220

Sensory nerve action potential (SNAP) amplitude (Wu) 1091-A

Sensory nerve conduction (Bromberg) 262 Sensory neuron system (Jozsa) 453 Sensory potentials (Zwarts) 289

SEPs and number of fibers (Zhao) 1220

Silent period (Leis) 1351 Silent periods (SPs) (Prout) 1089-A

Single fiber EMG (Sadeh) 177 (Trontelj) 506

Single fiber EMG measurements (Rich) 1090-A

Single motor unit H-reflex, in motor neuron disease (Trontelj) 565-L Single motor unit H-reflex, in motor neuron disorders (Soliven) 566-L

Single-fiber electromyography (Massey) 458

Skeletal muscle (Dangain) 33 (Escobar) 579 (Krippendorf) 99 (Reid) 1239

Skeletal muscle contraction (Cairns) 1317

Skeletal muscle extract (Valmier) 397 Skeletal muscle fiber disruption (Jubrias) 1422-L

Skew (Campbell) 424

Skin temperature and nerve conduction (Woodbury) 1110-A

Skin temperature and sensory thresholds (Alweiss) 1109-A Skinned fibers (Furby) 720 Sodium channel density (Ruff) 922 Sodium channel distribution (Ruff) 922

Soleus muscle (Alvarez) 1088-A (Furby) 720 (Valls-Solé) 1116-A

Somatosensory (Ochoa) 1009 Somatosensory evoked potentials

(Liberson) 1126-A (Masur) 681-L (Nunez) 1125-A (Triggs) 492 (Zhao) 1220

Space flight (Krippendorf) 99 Spastic muscles (Sinkjær) 69

Spasticity (Jimi) 885-L (Wiegner) 661

Spatial distribution patterns (Bodine-Fowler) 379 Spectral parameters (De Luca) 210

Spectroscopy (Eaton) 307 Spheroids (Chou) 864

Spinal accessory nerve injury (Corsolini) 1100-A

Spinal cord injury (Wiegner) 661 Spinal cord lesion, after epidural anesthesia (Sawaya) 883-L Spinal motor neuron excitability (Lei

Spinal motor neuron excitability (Leis) 1085-A

Spinal nerve (Tamler) 836 Spinal stenosis

(Beydoun) 322-L (Krendel) 323-L

Spinothalamic (Berić) 1017 Spiral groove radial neuropathy (Szabo) 1099-A

1439

Spontaneous repetitive discharges (Gutmann) 1092-A

Stainless steel electrodes (TECA) (Barohn) 1084-A Static contraction (Badier) 601 Stationary potentials (Dumitru) 237 Statistics (Campbell) 424 Status asthmaticus (Lacomis) 84 Steroid myopathy (Kaneko) 1135-L Stiff-man syndrome (Voci) 434-L Stimulated single fiber electromyography (Oey) 142 Stimulation SFEMG (Oey) 563-L (Trontelj) 564-L Stimula. on single fiber EMG (Sadeh) Strength (Bromberg) 1213 Stretch reflex (Hagbarth) 693 (Sinkjær) 69 Striated muscle (Hasan) 984-L Stroke (Berić) 1017 Stroke outcome (Palliyath) 1115-A Submaximal stimuli (Preston) 1111-A Succinylcholine, intramuscular (Walker) Sudomotor (Kihara) 655 Super-normality (Cameron) 782 Sural (Eaton) 307 (Phillips II) 414 Sural nerve (Phillips II) 827 (Simmons) 77 (Toro) 1114-A Sural nerve biopsies in Guillain-Barré syndrome (Brown) 112-L (Hughes) 112-L Sural nerve biopsy (Schellens) 1342 Surface-detected motor unit action potential (Doherty) 1326 Surface electromyography (Linssen) 849 Surface EMG (van der Hoeven) 312 Surface-recorded motor unit action potential (Doherty) 355 Survival prediction (Eisen) 27 Sweat gland (Navarro) 404 Sympathectomy (Bennett) 1040 Sympathetic skin response (Dettmers) 930 (Navarro) 404 Sympatholysis (Dotson) 1049 Synapse (Brennan) 513 Syringomyelia (Bötzel) 537

# T

(Masur) 681-L

T-cell autoimmunity (Hahn) 1174 Temperature (Chaudhry) 301 Temporal nerve (Dillingham) 1115-A Tensilon test, modified (Drew) 1106-A Terbutaline (Cairns) 1317 Tests (Ochoa) 1009 Tetraethylammonium (Utzschneider) Thenar muscles (Doherty) 355 (Doherty) 1326 (Sable) 1113-A Thermal injury (Ward) 348 Thermal testing (Redmond) 799-L Thermal thresholds (Claus) 757 Thermode temperature (Redmond) 799.1 Thermography (Verdugo) 1056 Thomsen's disease (Jacome) 1119-A Thoracolumbar myelodysplasia (Venkatesh) 1117-A Thyrotoxic periodic paralysis (Jackson) 1133-L (Links) 1132-L Tibial (Phillips II) 414 Tibial muscle (Brashear) 1113-A Tibialis anterior (Reid) 1239 Time course (Finkelstein) 769 Time domain (Davis) 1087-A Timing, of peripheral nerve dysfunction (Margherita) 1080-A Tinel signs (Jabre) 1082-A Torticollis (Auberle) 1118-A (Cichy) 1118-A Tourette's syndrome (Hooshmand) 1125-A Transcranial magnetic stimulation (Alvarez) 1088-A (Brasil-Neto) 1080-A (Leis) 1351 (Stewart) 1115-A (Tokimura) 882-L (Valls-Solé) 1116-A Transferability (Vingtoft) 520 Transformation (Campbell) 424 Transverse myelitis (Tsai) 112-L Tremor (Cardoso) 904 Trichloroethylene (TCE) (Feldman) 219-L (Laureno) 217-L Trigeminal motor neuropathy (Beydoun) 1136-L Trigeminal neuralgia (Soso) 1102-A Tuberculous, of striated muscle (Hasan) Turn/amplitude-analysis (Finsterer) 801-L Turns analysis (Luciano) 1086-A Twitch relaxation (Vergara) 935 Type 1 fiber predominance (Kyriakides)

## U

Ulnar cutaneous nerve (Beattie) 1094-A
Ulnar neuropathies (Wilbourn) 1092-A
Ulnar neuropathy
(Campbell) 678-L
(Radecki) 677-L
(Ross) 1090-A
Ulnar neuropathy, deep palmar branch
(Dokko) 1097-A
(Weinstein) 1096-A
Ultrastructural cytochemistry (Matsuoka)
206
Unaccustomed activity (Jubrias) 1422-L
Unmyelinated fibers (Marchettini) 1033
Unmyelinated nerve fiber (Arasaki) 587
Upper motor neuron (Chou) 864
Uremia (Phillips II) 970

## ٧

Vacuolar (Lotz) 530
Variability (Solders) 941
Vascular etiology (Palliyath) 1270-L
Vecuronium (Aggarwal) 1107-A
Venus' fly-trap plant (Jacome) 1119-A
Verapamil (Reverte) 879-L
Vibratometry (Claus) 757
Vibrometry (Werner) 1093-A
Vincristine (Houi) 11
Vocal cord paralysis
(Gupta) 977-L
(Simpson) 952
(Walker) 1093-A
Volume conduction (Dumitru) 237
Volume conductors (Dumitru) 727

## W

Wadia-type olivopontocerebellar atrophy (OPCA) (Walker) 1105-A Werdnig-Hoffmann disease (Camu) 569-L Wobbler mice (Mitsumoto) 542 Wobbler mouse (Ikeda) 979-L Wobbler mouse motor neuron disease (Ikeda) 979-L

# X

X-linked muscular dystrophy (Deymeer) 1359 (Péréon) 1423-L

## Y

Young onset ALS (Eisen) 27

# MUSCLE & NERVE

# **AUTHOR INDEX TO VOLUME 16**

This index lists, in alphabetical order, the names of authors of all articles, abstracts, book reviews, and letters. Full citation is provided under the first author only, with reference made from joint authors. Abstracts, book reviews, and letters are distinguished from articles by the following code: A = abstract, B = book review, and L = letter.

## A

Abdul-Karim FW, see Kaminski HJ Abraham RM, see Hughes PJ Ackmann JJ, Lomas JN, Hoffmann RG, Wertsch []: Multifrequency characteristics of disposable and nondisposable EMG needle electrodes, Acsadi G, see Karpati G Adalet K, see Deymeer F Adams K, see Barohn RJ Agboatwalla M, Kirmani SR, Sonawalla A, Akam DS: F-latency in acute poliomyelitis, 798-L Aggarwal A, Gutmann L, Gutierrez AR: Vecuronium induced prolonged neuromuscular blockade, 1107-A Agre JC, see Rodriquez AA Ahmad BK, see Redmond JMT Akaboshi K, see Masakado Y Akam DS, see Agboatwalla M Al Freihi H, see Al Rajeh SM see Bademosi O Al Midani H, Parry GJ, Day JW: Electrophysiology and brachial plexus pathology in a woman misdiagnosed as HMSN I, 1103-A Al Rajeh S, see Bademosi O Al Rajeh SM, Bademosi O, Awada A, Ismail H, Al Freihi H, Dawodu A, Assuhaimi S, Chebib F: Peripheral neuropathy in Saudi nationals: a community-based study, 1104-A Albers J, see Stetson D Albers IW, see Bromberg MB see Simmons Z

Postmortem examination of relapsing acute Guillain-Barré syndrome, 173 Al-Hakim M, see Voci JM Allen C, see Lin VWH Alvarez L, see Legarda S Alvarez MG, see Reisin RC Alvarez R, see Valls-Solé J Alvarez R, Valldeoriola F, Muñoz E, Tolosa ES, Valls-Solé J: The effects of

Al-Hakim M, Cohen M, Daroff RB:

Alesso L, see Campos Y

transcranial magnetic stimulation on the H-reflex of the soleus muscle in normal volunteers, 1088-A Alves M, see Hormigo A Alweiss GS, Weimer LH, Lange DI: The relationship between skin temperature and sensory thresholds, 1109-A Amaladevi B, see Pagala M Amenomori T, see Bhigjee AI American Association of Electrodiagnostic Medicine: Literature review of the usefulness of nerve conduction studies and electromyography for the evaluation of patients with carpal tunnel syndrome, 1392 American Association of

tunnel syndrome, 1390
Andary MT, Fankhauser MJ, van der Harst CL: Ischemic monomelic neuropathy with involvement of sacral nerves and sparing of sympathetic skin response, 1105-A
Andersen BB, see Trojaborg W
Andersen H, see Nielsen JF
Andersson T, see Solders G
Ando M, see Ando Y
Ando Y, Ueyama H, Watanabe S, Miyaji

Electrodiagnostic Medicine: Summary

statement: practice parameter for

electrodiagnostic studies in carpal

M, Tanaka Y, Ando M, Araki S: Early involvement of motor nerve dysfunction in atypical cases with familial amyloidotic polyneuropathy (FAP) type I, 978-L Andreassen S, see Sinkjær T Anlar B, Sungur A, Ruacan S, Imir T: An indirect immunofluorescence test

for the detection of acetylcholine receptor antibodies, 1266-L Anmuth CJ, Goldberg G, Mayer NH: The relationship of muscle activation to fractal dimension of electromyographic signals recorded with surface electrodes during isometric contractions, 1122-A

Anselmi GD, Crisafulli C, Saadeh P,

Wolf E: Needle electromyography of the diaphragm in myotonic dystrophy, 1121-A

Aparicio M, see Campos Y Appelbaum JS, Roos RP: Coexistence of amyotrophic lateral sclerosis and Werdnig-Hoffmann disease within a family, 1416-L

Araki S, see Ando Y see Kumamoto T Arasaki K, Kusunoki S, Kudo N,

Kanazawa I: Acute conduction block in vitro following exposure to antiganglioside sera, 587 Arenas J, see Campos Y Armstrong AN, see Bodine-Fowler SC Aronin N, see Lacomis D Asakura T, see Tokimura H Assuhaimi S, see Al Rajeh SM see Bademosi O Atassi MZ, see Uchitel O

Adustrie JA, Olson WL: The analysis and injection of deep neck muscles with botulinum toxin type A in the treatment of cervical dystonia (spasmodic torticollis), 1118-A Aubry J-P, see Baroffio A Awad J, see Uncini A Awada A, see Al Rajeh SM see Bademosi O

## B

Baba M, Ozaki I, Matsunaga M,
Watahiki Y: Anterior interosseous
nerve syndrome in postinfectious
demyelinating neuropathy, 878-L
Bach J, see Lee CH
Bach JR, see Lee HJ
Bademosi O, Al Rajeh S, Awada A,
Ismail H, Al Freihi H, Dawodu A,
Assuhaimi S, Chebib F: Prevalence of
muscle disease in Saudi Arabia,
1122-A
Bademosi O, see Al Rajeh SM
Bader CR, see Baroffio A
Badger G, see Fries TJ

Badier M, Guillot C, Lagier-Tessonnier F, Burnet H, Jammes Y: EMG power spectrum of respiratory and skeletal muscles during static contraction in healthy man, 601

Baithun S, see Hasan N Baldy-Moulinier M, see Valmier | Balint J, see Jozsa L Balon TW: Review of Muscle fatigue

mechanisms in exercise and training,

Balzamo E, see Lagier-Tessonnier F Baran E, Stagliano N, Sandel E, Kresch E, Freedman W: Movement-related potentials in patients with unilateral cerebral lesions, 1118-A

Barkhaus PE, Nandedkar SD: Clinical evaluation of a decomposition algorithm for motor unit action potential analysis, 1085-A

Barkhaus PE, see Nandedkar SD Baroffio A, Aubry J-P, Kaelin A, Krause RM, Hamann M, Bader CR: Purification of human muscle satellite

cells by flow cytometry, 498 Barohn RJ, Gronseth G, McVey A, LeForce B, McGuire S, King R, Butzin C: Correlating nerve conduction, cerebrospinal fluid, and CD4 T-lymphocyte parameters in a large cohort of HIV-positive individuals, 1083-A

Barohn RJ, Jackson C, Adams K, Hart S, Gronseth G, King R: Stainless steel versus adhesive recording electrodes: electrophysiologic and cost comparisons, 1084-A

Barohn RJ, McVey AL, DiMauro S: Case-of-the-month: Adult acid maltase deficiency, 672

Barohn RJ, see Jackson CE see Krolick KA

Barr CW, Claussen G, Thomas D, Fesenmeier JT, Pearlman RL, Oh SJ: Primary respiratory failure as the presenting symptom in Lambert-Eaton myasthenic syndrome, 712

Baslo A, see Öge AE Bastian RW, see Gupta SR Battles W, see Brown TM Bauer S, see Venkatesh S Bautista J, see Campos Y

Bayindir C, see Deymeer F Beattie JR, Ross MA: Electrophysiologic assessment of the dorsal ulnar cutaneous nerve reveals anatomic variation (medial location) is common,

Beaurang PA, see Velleman SG Behrens MI, see Vergara C Belandres PV, see Dillingham TR Bennett GJ: An animal model of neuropathic pain: a review, 1040

Berciano J, Coria F, Montón F, Calleja J, Figols J, Lafarga M: Axonal form of Guillain Barré syndrome: evidence for macrophage-associated demyelination, 744

Berić A: Central pain: "new" syndromes and their evaluation, 1017 Berić A, see Triggs WJ

Berkovic SF, see Reutens DC Bernardoni G, see Siegel IM Beuerman RW, see Zhao S Beydoun SR, see Gibbs MA Beydoun SR, Shapiro C, Engel WK: Calf muscle hypertrophy, complex repetitive discharges and spinal stenosis, 322-L

Beydoun SR: Unilateral trigeminal motor neuropathy as a presenting feature of neurofibromatosis type 2

Windsor IM, Matthias DA,

(NF2), 1136-L Bhigjee AI, Bill PLA, Wiley CA,

Amenomori T, Wachsman W, Moorhouse D: Peripheral nerve lesions in HTLV-I associated myelopathy (HAM/TSP), 21 Bhisitkhul RB, see Utzschneider DA Biali FI, see Escobar ALM Bicknell JM, see Eaton RP Bilbao A, see Wilcox MS Bill PLA, see Bhigjee AI Billiard M, see Camu W Binkhorst RA, see Linssen WHJP Bird SJ, see Mackin GA

Bischoff C, Meyer B-U, Machetanz J, Conrad B: The value of magnetic stimulation in the diagnosis of radiculopathies, 154

Bischoff C, see Falck B see Machetanz J

Bischoff C, Stålberg E, Falck B, Sonoo M: Diagnostic sensitivity of methods to express motor unit potential abnormalities, 1122-A Bitsaktis A, see Konstadoulakis MM

Blaivas M, see Simmons Z Blake DM, see Lange DJ Blatt I, see Sadeh M Blodgett JL, see Jackson CE

Bodensteiner [B: Review of Clinical pediatric neurology: a signs and symptoms

approach (2nd ed), 975-B Bodine-Fowler SC, Unguez GA, Roy RR, Armstrong AN, Edgerton VR: Innervation patterns in the cat tibialis anterior six months after self-reinnervation, 379

Bolton CF: AAEM minimonograph #40: clinical neurophysiology of the

respiratory system, 809 Bolton CF, Parkes A, Grand'Maison F: Needle EMG of the diaphragm (a reply), 324-L

Borin Y, see Solders G Boska M, see Degroot M Bossen EH, see Morgenlander JC Botella J, see Greig CA Bötzel K, Witt TN: Transcranial cortical

stimulation in syringomyelia: correlation with disability?, 537 Boyaciyan A, see Öge AE Braddom RL, see Falco FJE

see Hennessey WJ Bradley WG: Progressive unilateral hypertrophy myopathy, 1133-L Bradley WG, see Lester JM Braker AM, see Kirby KA Brandt L, see Solders G

Brashear A, Kincaid JC: Causes of the difference in peroneal and tibial

compound muscle action potential configuration, 1113-A

Brashear A, see Kincaid JC Brasil-Neto JP, Cohen LG, Hallett M: Frequency dependence of postexercise decrement of motor evoked potentials: a neurophysiologic correlate of central fatigue, 1080-A

Brennan C, Henderson LP: Single channel properties of synaptic acetylcholine receptors in dystrophic fibers, 513

Brenner JF, see Lester JM Bresolin N, see Meola G Bril V, see Uchitel O Brin MF, see Lange DI Bromberg J, see Bromberg MB Bromberg MB: Motor unit estimation: reproducibility of the spike-triggered

averaging technique in normal and ALS subjects, 466 Bromberg MB, Albers JW: Patterns of sensory nerve conduction abnormalities in demyelinating and

axonal peripheral nerve disorders,

262

Bromberg MB, Forshew DA, Nau KL, Bromberg J, Simmons Z, Fries TJ: Motor unit number estimation, isometric strength, and electromyographic measures in amyotrophic lateral sclerosis, 1213

Bromberg MB, see Simmons Z Brown Jr RH, see Rich JM Brown SM, see Velleman SG Brown TM, Sharon D, Battles W, Lee

G: Quantitative EEG and cognitive functions after electroconvulsive therapy: a discontinuity, 1123-A Brown TR, Kovindha A,

Wathanadilokkol U, Piefer A, Smith T, Kraft GH: Electrophysiologic assessment of early leprous neuropathy, 1109-A

Brown WF: Sural nerve biopsies in Guillain-Barré syndrome: axonal degeneration and macrophage associated demyelination and absence of cytomegalovirus genome, 112-L Brown WF, Feasby TE, Hahn AF:

Electrophysiological changes in the acute "axonal" form of Guillain-Barré syndrome, 200

Brown WF, see Doherty TJ Brown WF, Watson BV: AAEM case report 27: acute retrohumeral radial

neuropathies, 706 Bruggeman R, see van DER Linden C Burke D: Microneurography, impulse conduction, and paresthesias, 1025 Burnet H, see Badier M Burton V, see Gutmann L

Busis NA: Brachial plexus neuropathy in six family members, 1108-A Butterworth J, see Walker FO Butzin C, see Barohn RI

Cabello A, see Campos Y Cadusch P, see Nunez P Cadwell J, see Lin VWH

Cairns SP, Dulhunty AF: B-adrenergic potentiation of E-C coupling increases force in rat skeletal muscle, 1317

Cale WF, see Dewberry RG Calleja J, see Berciano J

Cameron J, Flowers AE, Capra MF: Modification of the peripheral nerve disturbance in ciguatera poisoning in rats with lidocaine, 782

Campbell K, see Triggs WJ Campbell WW, Oh SJ: Paraneoplastic myasthenia gravis: association with neoplasms other than thymoma, 1108-A

Campbell WW, Pridgeon RM: Short segment incremental studies (SSIS) in the evaluation of ulnar neuropathy at the elbow-a reply, 678-L

Campbell WW, Robinson LR: Constructing reference ranges (a reply), 1415-L

Campbell WW, Robinson LR: Deriving reference values in electrodiagnostic medicine, 424

Campos Y, Huertas R, Bautista J, Gutierrez E, Aparicio M, Lorenzo G, Segura D, Villanueva M, Cabello A, Alesso L, Arenas J: Muscle carnitine deficiency and lipid storage myopathy in patients with mitochondrial

myopathy, 778 Campos Y, Huertas R, Lorenzo G, Bautista J, Gutierrez E, Aparicio M, Alesso L, Arenas J: Plasma carnitine insufficiency and effectiveness of L-carnitine therapy in patients with mitochondrial myopathy, 150

Camu W, Billiard M: Coexistence of amyotrophic lateral sclerosis and Werdnig-Hoffmann disease within a family, 569-L

Cao G, see Nunez P see Russell G

Capra MF, see Cameron J Cardoso FEC, Jankovic J: Hereditary motor-sensory neuropathy and movement disorders, 904

Carpenter J, see Fries TJ Carvalho MA, Fernandes MMC, Morgado FD, Sales Luis ML: Fibrillation in mitochondrial myopathy, 432-L

Cassano D, see Cocito D Celik M, see Öge AE Cersósimo R, see Reisin RC Chad DA, see Lacomis D

Chang M-H, Chang S-P, Cheung S-C, Kong K-W: Computerized tomography of oropharynx is useful in the diagnosis of oculopharyngeal muscular dystrophy, 325-L

Chang S-P, see Chang M-H Charness ME, see Ross MH

Chaudhry V, Corse AM, Cornblath DR, Kuncl RW, Friemer ML, Griffin JW: Multifocal motor neuropathy electrodiagnostic features, 1081-A

Chaudhry V, Crawford TO, DERossett SE: Thermal sensitivity in demyelinating neuropathy, 301 Chebib F, see Al Rajeh SM see Bademosi O

Cheong DM-O, Salanga VD, Phillips RC, Hanson MR, Wexner SD: Electrodiagnostic evaluation of fecal incontinence, 1087-A

Cherington C, see Cherington M Cherington M, Yarnell P, Cherington C: Lightning, Leyden jar, and the historic beginning of

electrophysiology, 1119-A Cheung S-C, see Chang M-H Chiappa K, see Cros D Chiba A, see Kusunoki S

Chino N, see Masakado Y Chou SM, Norris FH: Amyotrophic lateral sclerosis: lower motor neuron disease spreading to upper motor neurons, 864

Chroni E, Panayiotopoulos CP: F tacheodispersion: quantitative analysis of motor fiber conduction velocities in patients with polyneuropathy, 1302

Cibula J, see Valenstein E Cichy SW, Claussen GC, Smith KKE, Oh SJ: Joplin's 'neuroma': electrophysiologic confirmation, 1095-A

Cichy SW, Claussen GC, Smith KKE, Oh SJ, Soong S: Turns analysis in assessment of torticollis patients treated with botulinum toxin, 1118-A

Cichy SW, see Claussen GC Citak KA, Dickoff DJ, Simpson DM: Progressive sensory radiculopathy responsive to corticosteroid therapy,

Claus D, Mustafa C, Vogel W, Herz M, Neundörfer B: Assessment of diabetic neuropathy: definition of norm and discrimination of abnormal nerve function, 757

Claussen G, see Barr CW Claussen GC, Cichy SW, Fesenmeier JT, Oh SJ: Brachial demyelinating neuropathy mimicking benign focal amyotrophy, 1108-A

Claussen GC, Fesenmeier JT, Smith KE, Oh SJ: Diagnostic value of the facial repetitive nerve stimulation test in myasthenia gravis, 1090-A

Claussen GC, see Cichy SW see Smith KE

Clayman J, see Kaminski HJ Clough C, see Palace J Clouston P, see Kiers L

Cocito D, Cassano D, De Mattei M: Motor evoked potentials in orbicularis oris muscle: no evidence of ipsilateral corticonuclear projections, 1268-L

Cohen LG, see Brasil-Neto JP Cohen M, see Al-Hakim M Compton P, see Russell G Conrad B, see Bischoff C

see Machetanz J Conroy J, see Vladutiu GD Contant CF, see Leis AA Conwit R, see Creel GB Conwit RA, see Wilson JR Corbo M, see Uncini A

Coria F, see Berciano J Cornblath DR, see Chaudhry V Corse AM, see Chaudhry V Corsolini TB, see Tomski MA

Corsolini TB, Tomski MA: Unusual manifestation of stretch induced injury to the spinal accessory nerve. 1100-A

Cox RD, see Massagli TL Craft F, see Velleman SG Crawford TO, see Chaudhry V Creel GB, Conwit R, Gilbert M: Motor neuron disease with myokymia: a late complication of Hodgkin's lymphoma, 1107-A

Crisafulli C, see Anselmi GD see Saadeh PB

Crisafulli CF, see Saadeh PB Cros D, Menkes DL, Chiappa K, Hersch MI. Sander HW: Intensive neurophysiologic assessment of nontraumatic, chronic brachial plexopathies: insights into underlying pathologic processes, 1094-A

Cros D, see Kiers L see Rich JM Crout BO, see Rivner MH Cutler SJ, see Hughes PI Czerniecki J, see Gitter AJ

Dalakas MC, see Leon-Monzon M Dalkara T, see Topaktas S Dalton PA, Stokes MJ: Frequency of acoustic myography during isometric contraction of fresh and fatigued muscle and during dynamic contractions, 255

Dang N, see Luciano CA Dangain J, Neering IR: Effect of caffeine and high potassium on normal and dystrophic mouse EDL muscles at various developmental stages, 33

Daroff RB, see Al-Hakim M Date E, see Wu PBJ Daube JR, Stevens JC: The electrodiagnosis of carpal tunnel syndrome (a reply), 798-L D'Auria R, see Dietzen C]

Davaki P, see Konstadoulakis MM David WS, see Doyle JJ Davies L, see Wiegner AW Davis E, Fine E: Automatic motor unit correlation, decorrelation and decomposition in the time domain,

1087-A Dawodu A, see Al Rajeh SM see Bademosi O Day JW, see Al Midani H De Baets M, see Verschuuren J de Lourdes Sales Luís M, see

Hormigo A De Luca CJ: Use of the surface EMG signal for performance evaluation of back muscles, 210 De Mattei M, see Cocito D

de Mendonça A, see Hormigo A

Degos J-D, see Gherardi RK Degroot M, Massie BM, Boska M, Gober J, Miller RG, Weiner MW: Dissociation of [H+] from fatigue in human muscle detected by high time resolution <sup>31</sup>P-NMR, 91

1455

Del Toro DR, Park TA, Vennix MJ, Wertsch JJ: Medial calcaneal nerve, medial plantar nerve and sural nerve comparison, 1114-A

comparison, 1114-A
Del Toro DR, see Vennix MJ
Delaney CM, see Galasko CSB
Delapasse JS, see Leis AA
DeLisa JA, see Lee HJ
DEN Hollander JA, see Heerschap A
Dener S, see Topaktas S
Dengler R, Elek J: F waves and motor
unit type (a reply), 876-L
Denislic M, Trontelj JV: Autonomic

Denišlić M, Trontelj JV: Autonomic function in HMSN: evidence of slowed sudomotor conduction?, 114-L DeRossett SE, see Chaudhry V

Dettmers C, Fatepour D, Faust H, Jerusalem F: Sympathetic skin response abnormalities in amyotrophic lateral sclerosis, 930

Dewberry RG, Schneider BF, Cale WF, Phillips II LH: Sarcoid myopathy presenting with diaphragm weakness, 832

Deymeer F, Oge AE, Bayindir C, Kaymaz C, Nişanci Y, Adalet K, Yates JRW, Ozdemir C: Emery Dreifuss muscular dystrophy with unusual features, 1359

Di Muzio A, see Uncini A
Dickoff DJ, see Citak KA
Dickoff DJ, Simpson DM, Wiley CA,
Mendelson SG, Farraye J, Wolfe DE,
Wachsman W: HTLV-1 in acquired
adult myopathy, 162
Dien J, see Russell G

Dietzen CJ, D'Auria R, Fesenmeier J, Oh SJ: Electromyography in benign congenital myopathies, 328-L

Dillard W, see Jabre JF
Dillingham TR, Belandres PV:
Superficial radial neuritis associated
with DeQuervain's tendinitis:
documentation with inching
technique. 1098-A

Dillingham TR, Spellman NT, Belandres PV: Trigeminal motor nerve conduction: deep temporal and mylohyoid nerves, 1115-A

DiMarco AF, see Lin VWH DiMauro S, see Barohn RJ Distad B, see Maselli RA

Doherty TJ, Brown WF: The estimated numbers and relative sizes of thenar motor units as selected by multiple point stimulation in young and older adults. 355

Doherty TJ, Stashuk DW, Brown WF: Determinants of mean motor unit size: impact on estimates of motor unit number, 1326

Dokko Y, Katirji MB: Proximal deep palmar ulnar mononeuropathy, 1097-A

Dokko Y, see Voci JM Donhowe SP: Posterior antebrachial cutaneous neuropathy from injection injury, 1101-A

Dooley PC, see Finkelstein DI Dotson RM: Causalgia—reflex sympathetic dystrophy sympathetically maintained pain: myth and reality, 1049 Doyle JJ, David WS: Posterior antebrachial cutaneous neuropathy associated with lateral elbow pain, 1417-L

Doyle JJ, David WS: Segmental near nerve sensory conduction studies of the medial and lateral plantar nerves, 1114-A

Drew WE: A modified tensilon test, 1106-A

Duchowny M, see Legarda S Dulhunty AF, see Cairns SP Dumitru D, Jewett DL: Far-field potentials, 237

Dumitru D, King JC, Rogers WE: Far-field potentials in cylindrical and rectangular volume conductors, 727

Dunne JW, Stewart-Wynne EG: Neurologic improvement of adrenomyeloneuropathy after steroid replacement therapy, 1133-L Dyro F, see Venkatesh S

## E

Eaton RP, Sibbitt WL, Bicknell JM, King MK, Griffey RH, Sibbitt RR: Sural nerve water in vivo in normal humans measured by magnetic resonance spectroscopy: relation to age, height, gender, and neurological profile, 307 Edgerton VR, see Bodine-Fowler SC Eichelman J, see Wilson JR Eidelman BH, see Wilson JR Eisen A, Schulzer M, MACNeil M, Pant B, Mak E: Duration of amyotrophic

lateral sclerosis is age dependent, 27
Eisen A, Schulzer M, Pant B, MacNeil
M, Stewart H, Trueman S, Mak E:
Receiver operating characteristic curve
analysis in the prediction of carpal
tunnel syndrome: a model for
reporting electrophysiological data,
787

Eisen AA: Comment on the lower motor neuron hypothesis, 870

Eisen AA, see Prout A see Stewart H

Elder GCB, Kakulas BA: Histochemical and contractile property changes during human muscle development, 1246

Elek J, see Dengler R Elkhammari A, see Péréon Y El-Magd K, see Wilson JR Engel AG, Nagel A, Walls TJ, Harper

CM, Waisburg HA: Congenital myasthenic syndromes: 1. Deficiency and short open-time of the acetylcholine receptor, 1284 Engel AG, see Uchitel O Engel WK, see Beydoun SR

England JD, Regensteiner JG, Ferguson MA, Hiatt WR: Evolution of neuropathy in peripheral arterial disease, 1082-A

Escobar ALM, Schinder AF, Biali FI, Nicola Siri LC, Uchitel OD: Potassium channels from normal and denervated mouse skeletal muscle fibers, 579 Escolar DM, Jones Jr HR: Pediatric radial mononeuropathy: a clinical and electromyographic study, 1100-A Espadaler JM, see Navarro X Esselman PC, Tomski MA, Robinson LR, Zisfein J, Marks SJ: Selective deep peroneal nerve injury associated with arthroscopic knee surgery, 1188

## F

Fahn S, see Lange DJ Falck B. Bischoff C, Stålberg E: New reference values for motor unit potentials-effects of age, gender, examiner and recording site, 1123-A Falck B. see Bischoff C Falco FJE, Hennessey WJ, Goldberg G, Braddom RL: H-reflex latency in the healthy elderly, 1114-A Falco FIE, see Hennessey WI Falempin M, see Furby A Falutz J, see Veilleux M Fankhauser MJ, see Andary MT Farfel Z, see Sadeh M Farraye J, see Dickoff DJ Fatepour D, see Dettmers C Faust H, see Dettmers C Faustman LC, see Velleman SG Fawcett PRW, see Vingtoft S Feasby TE, see Brown WF see Hahn AF Feingold M, see Redmond JMT Fejerman N, see Reisin RC Feldman EL, see Simmons Z Feldman RG: Blink reflex measurement of effects of trichloroethylene exposure on the trigeminal nerve (a reply), 219-L Felice KJ, see Jones, Jr HR Fenstermaker RA, see Kaminski HJ Ferguson MA, see England JD Fernandes MMC, see Carvalho MA Fesenmeier J, see Dietzen CJ Fesenmeier JT, see Barr CW

see Claussen GC see Smith KE Festoff BW, see Smith RA Figols J, see Berciano J Fine E, see Davis E Finkelstein DI, Dooley PC, Luff AR: Recovery of muscle after different periods of denervation and treatments, 769 Finsterer JH, Mamoli BT:

Turn/amplitude-analysis and standardized muscular fatigue in neuromuscular disorders, 801-L Fisher MA: F waves and motor unit type, 876-L Fisher MA, see Hoffen B

Fisher MA, see Hoffen B
Fishfader V, see Margherita AJ
Flowers AE, see Cameron J
Fonteneau P, see Kennel PF
Ford MR, Sidman RD, Ramsey GG,
Sapkota S: Asymmetric AEP P300
attenuation in schizophrenia using the
cortical imaging technique, 1123-A
Forshew DA, see Bromberg MB
Frane J, see Smith RA

Frane J, see Smith RA Franke TM, see Rodriquez AA Franzblau A, see Werner RA Fraser JL, see Olney RK

see Poncelet AN Freedman W, see Baran E Freeman R, see Harry JD Friemer ML, see Chaudhry V Fries TJ, see Bromberg MB Fries TJ, Tandan R, Carpenter J, Badger G: A comparison of stimulus-triggered surface motor unit count and macro motor unit density estimate changes in amyotrophic lateral sclerosis patients, 1124-A Fuglsang-Frederiksen A, see Vingtoft S Fukunaga H, Okubo R, Moritoyo T, Kawashima N. Osame M: Long-term follow-up of patients with Duchenne muscular dystrophy receiving ventilatory support, 554 Funamoto K, see Hisatome I Furby A, Mounier Y, Stevens L, Leterme D, Falempin M: Effects of chronic electrostimulation on rat

soleus skinned fibers during hindlimb

suspension, 720

Galasko CSB, Delaney CM: Severity of scoliosis in patients with Duchenne muscular dystrophy at the time of referral to an orthopedic clinic, 433-L Galloway GM, Giuliani MJ, Hurtt M: A case report of paraneoplastic motor neuron disease, 1106-A Gambi D, see Uncini A

Gabreëls-Festen AAWM, see Schellens

Gan R, see Jabre JF Garofalo M, see Saadeh PB Genba K, Ugawa Y, Kanazawa I, Okutsu I, Hamanaka I: Physiological assessment of endoscopic surgery for carpal tunnel syndrome, 567-L

Genet SA, see Rose MR George AL, see Mackin GA Ghanem Q: Serial measurements of nerve conduction velocity and F-wave latency in diphtheritic neuropathy,

Gherardi RK, Malapert D, Degos J-D: Polyneuropathy associated with IgA monoclonal gammopathy of undetermined significance, 1129-L Gibbs MA, Beydoun SR: Obstetrical

lumbosacral plexus injury, 801-L Gielen FLH, see Kuypers PDL Gilbert M, see Creel GB Gilchrist JM: AAEM case report #26: seventh cranial neuropathy, 447

Gilmore R, see Triggs WJ Gitter AJ, Czerniecki J: Limitations in the visual assessment of the motor unit interference pattern in electromyographic studies, 1086-A Giuliani MJ, see Galloway GM

see Soso MJ Gnatz SM: Medial plantar neuropathy of the midfoot—use of an electrophysiologic technique for

evaluation, 1095-A Gober J, see Degroot M Godschalk M, see Kuypers PDL Goebel HH, see Naumann M Goldberg G, see Anmuth CI see Falco FIE Goldhammer Y, see Sadeh M Goldstein B, see Haughton JF Goodhert R, see Nelson KR Gordon J, see Hening WA Goris RJA, see Heerschap A Goto Y-I, see Matsuoka T Grana EA. Kraft GH: Electrodiagnostic abnormalities in multiple sclerosis,

Grand'Maison F: Predictive equations for F-waves, 877-L Grand'Maison F, see Bolton CF Graves-Wright I, see Simpson DM

Green LC, see Lash TL Greenberg SA, So YT, Olney RK: Comparative utility of sensory and motor nerve conduction studies and late responses in the diagnosis of polyneuropathy, 1083-A

Greene P, see Lange DJ Greig CA, Botella J, Young A: The quadriceps strength of healthy elderly people remeasured after eight years, 6 Griffey RH, see Eaton RP Griffin JW, see Chaudhry V

Grob D, see Pagala M Grobler LJ, see Haig AJ Gronseth G, see Barohn RJ Gross PT, Jones, Jr HR: Proximal median neuropathies: electromyographic and clinical correlation (a reply), 321-L

Gross PT, see Jones, Jr HR Grubwieser GJ, see Leis AA see Reid MB Gruener G, see Merchut MP

Guazzi GC, see Mondelli M Gubbay SS, see Kyriakides T Guidos AR, see Jabre JF Guidos PJ, see Jabre JF Guillot C, see Badier M

Gupta SR, Bastian RW: Use of laryngeal electromyography in prediction of recovery after vocal cord paralysis, 977-L

Gurber LJ, see Ives JR Gussner CG, see Wu PBI Gustafson SK, see Velleman SG Gutierrez A, see Gutmann L Gutierrez AR, see Aggarwal A Gutierrez E, see Campos Y

Gutmann L: AAEM minimonograph #2: important anomalous innervations of the extremities, 339

Gutmann L: Sensitivity of electrophysiological studies and the carpal tunnel syndrome (a reply),

Gutmann L, Gutmann L, Schochet SS: Spontaneous repetitive discharges and muscle hypertrophy, 1092-A

Gutmann L, Hopf HC, Gutierrez A, Burton V: Intrapontine generation of myokymia in multiple sclerosis, 981-L Gutmann L, see Aggarwal A

see Gutmann L Gutmann L, Weidman D, Gutierrez A: Lambert Eaton myasthenic syndrome

with prominent postexercise exhaustion, 716

Hagbarth K-E: Microneurography and applications to issues of motor control: fifth annual Stuart Reiner memorial lecture, 693

Hahn AF, Feasby TE, Wilkie L, Lovgren D: Antigalactocerebroside antibody increases demyelination in adoptive transfer experimental allergic neuritis, 1174

Hahn AF, see Brown WF Haig AJ, see Salone JC Haig AJ, Talley C, Grobler LJ, LEBreck

DB: Paraspinal mapping: quantified needle electromyography in lumbar radiculopathy, 477

Hakim MA, Katirji MB: Femoral mononeuropathy induced by the lithotomy position: a report of 5 cases with a review of literature, 891

Hallett M, see Brasil-Neto IP Hamada T, see Takamori M Hamanaka I, see Genba K Hamann M, see Baroffio A Hansen HJ, see Sinkjær T Hanson MR, see Cheong DM-O Harati Y, see McKinley KL Hardy Jr R, see Katirji MB Härkönen M, see Pihko H Harmon RL, Rodriquez AA: F-wave chronodispersion in carpal tunnel syndrome, 1097-A

Harper CM, see Engel AG Harry JD, Freeman R: Determining heart-rate variability: comparing methodologies using computer

simulations, 267 Hart S, see Barohn RJ

Hasan N, Baithun S, Swash M, Wagg A: Tuberculosis of striated muscle, 984-L Haughton JF, Little JW, Powers RK, Robinson LR, Goldstein B: M/RMS:

an EMG method for quantifying upper motoneuron and functional weakness, 1124-A Hausman RE, see Velleman SG

Hayes M, see Weinberg DH Hays AP, see Vu TH Heerschap A, DEN Hollander JA, Reynen H, Goris RJA: Metabolic changes in reflex sympathetic dystrophy: a 31P NMR spectroscopy

study, 367 Heimbach D, see Margherita AJ Heinsohn ME, see Thomas HF Henderson LP, see Brennan C Hening WA, Rolleri M, Poizner H, Gordon J: Parkinsonian and normal

subjects achieve comparable scaling and accuracy of planar pointing movements in different directions despite disparate patterns of joint rotation, 1117-A

Hennessey WJ, Falco FJE, Braddom RL: The radial nerve is most appropriate for sensory distal latency comparisons, 1112-A

1457

Hennessey WJ, see Falco FJE Hersch MI, see Cros D Herz M, see Claus D Hiatt WR, see England JD Hietaharju A, Jääskeläinen S, Kalimo H, Hietarinta M: Peripheral neuromuscular manifestations in systemic sclerosis (scleroderma), 1204 Hietarinta M, see Hietaharju A Higuchi I, Montemayor ES, Izumo S,

Inose M, Osame M: Immunohistochemical characteristics of polymyositis in patients with HTLV-I-associated myelopathy and HTLV-I carriers, 472

Hirai S, see Yoshida T

Hirai S, see Yoshida T
Hirayama K, see Kuwabara S
Hisatome I, Manabe I, Yamamoto Y,
Tanaka Y, Ogino K, Igawa O,
Miyakoda H, Kotake H, Mashiba H,
Miyamoto J, Nakayasu H, Funamoto
K, Nakashima K, Takahashi K: Excess
release of hypoxanthine from
exercising muscle in patients with
Kearns-Sayre syndrome, 435-L

Hoffen B, Fisher MA: F-wave analyses of patients with carpal tunnel syndrome, 1098-A

Hoffen B, Fisher MA, Hultman C: Normative F-wave parameters and the number of recorded F-waves, 1081-A Hofmann E, see Naumann M

Hofmann E, see Naumann M Hoffmann RG, see Ackmann JJ Hogan K, see Vladutiu GD

Holmlund T, Wilbourn AJ: Acute median neuropathy at the wrist is not carpal tunnel syndrome, 1092-A

Holt PJ, see Krendel DA
Hoogenraad TU, see Oey PL
Hooshmand H, Uttley T, Quiambao F:
Neurophysiologic tests in
attention-deficit hyperactivity
disorder, Tourette's syndrome and
fetal alcohol syndrome, 1125-A

Hoover S, see Nelson KR
Hopf HC, see Gutmann L
Hormigo A, de Lourdes Sales Luís M,
Alves M, de Mendonça A:
Electrophysiologic evaluation of the
paraneoplastic syndrome in early

stages, 1419-L

Hotson JR, see Poncelet AN Houi K, Mochio S, Kobayashi T: Gangliosides attenuate vincristine neurotoxicity on dorsal root ganglion cells. 11

Hovius SER, see Kuypers PDL Howard RS, see Rose MR

Howel D: Constructing reference ranges, 1415-L

Howel D: Modeling fiber type grouping by a binary Markov random field, 429-L

Huang SQ: Congenital myasthenia gravis, slow channel type: can the repetitive stimulation test determine the efficacy of anticholinesterase, 1124-A

Huard J, see Meola G
Huertas R, see Campos Y
Hughes PJ, Lane RJM, Cutler SJ,
Wright DJM, Abraham RM, Wade
JPH, Levy DM: Small-fiber
dysfunction in a Borrelia burgdorferi
infection, 221-L

Hughes RA: Sural nerve biopsies in Guillain-Barré syndrome: axonal degeneration and macrophageassociated demyelination and absence of cytomegalovirus genome (a reply), 112-L

Hultman C, see Hoffen B Hurtt M, see Galloway GM

## 1

Idiaquez J: Somatic and autonomic nerve studies in Chagas' disease, 1102-A

Igawa O, see Hisatome I Ikeda K, Mitsumoto H: In vivo and in vitro muscle tensions in wobbler mouse motor neuron disease, 979-L Ikeda S-I, see Yoshida K

Ikuta F, see Yuki N Imir T, see Anlar B Inose M, see Higuchi I

Ionasescu R, see Ionasescu VV Ionasescu VV, Ionasescu R, Searby C: Screening of dominantly inherited Charcot-Marie-Tooth neuropathies, 1232

Ismail H, see Al Rajeh SM see Bademosi O

Ives JR, Mainwaring NR, Gurber LJ, Schomer DL: Remontaging from bipolar recordings: a better way?, 1125-A

Ives JR, Warach S, Schomer DL: A technique for recording a patient's EEG during an echo-planar magnetic resonance imaging scan, 1125-A Izumo S, see Higuchi I

## J

Jääskeläinen S, see Hietaharju A Jablecki CK: Digital neuropathy of the thumb caused by wrist splinting, 1097-A

Jabre JF, Dillard W, Guidos AR, Guidos PJ: The diagnostic usefulness of multiple tinel signs in the clinical diagnosis of peripheral neuropathy, 1082-A

Jabre JF, Gan R: Changes in motor unit fiber population in neuro and myopathic disorders studied with concentric-macro EMG, 1092-A

Jabre JF, Salzsieder BT: The study of upper and lower motor neuronal firing behavior and the generation of force, 1085-A

Jackson C, see Barohn RJ Jackson CE, Barohn RJ: Improv

Jackson CE, Barohn RJ: Improvement of the exercise test after therapy in thyrotoxic periodic paralysis (a reply), 1133-L

Jackson CE, Barohn RJ: Lesion localization of the numb hand syndrome in B12 deficiency, 1111-A

Jackson CE, Barohn RJ, Blodgett JL: Recurrent diabetic neuropathic cachexia, 1103-A Jacob JM, see Mitsumoto H

Jacobs DH, Jamieson PW: Lambert-Eaton myasthenic syndrome associated with an ameloblastoma of the tibia, 986-L

Jacobs EC, see Quesenberry LA Jacome DE: 'All creatures great and small': the case of dionaea (Venus' fly-trap plant), 1119-A

Jacome DE: The fainting goats of Tennessee, 1119-A Jamieson PW, Katirji MB: Idiopathic

generalized myokymia, 1120-A Jamieson PW, see Jacobs DH Jammes Y, see Badier M see Lagier-Tessonnier F Jankovic J, see Cardoso FEC

Jankovic J, see Cardoso FEC
Jannetta PJ, see Soso MJ
Jarratt JA, see Vingtoft S
Järvinen M, see Jozsa L
Jayakar P, see Legarda S
Jerusalem F, see Dettmers C
Jewett DL, see Dumitru D
Jimi T, Wakayama Y: Mexiletine for
treatment of spasticity due to

reatment of spasticity due to neurological disorders, 885-L Jo GY, see Park-Ko I Joharji GM, see Walker FO Johnson EW: Sixteenth annual AAEM

Edward H. Lambert lecture. Electrodiagnostic aspects of diabetic neuropathies: entrapments, 127 Jones D, see Margherita AJ

Jones, Jr HR, Felice KJ, Gross PT: Pediatric peroneal mononeuropathy: a clinical and electromyographic study, 1167

Jones, Jr HR, see Escolar DM see Gross PT Jongpiputvanich S, see Kyriakides T Joosten EMG, see Linssen WHJP Jozsa L, Balint J, Kannus P, Järvinen M, Lehto M: Mechanoreceptors in

human myotendinous junction, 453 Jubrias S, Klug GA: Are eccentric contractions required to induce the skeletal muscle fiber disruption that occurs following unaccustomed activity?, 1422-L.

## K

Kaelin A, see Baroffio A Kagoshima M, see Yoshida K Kaji R, Kimura J: Editorial comments: amyotrophic lateral sclerosis: what makes the direct corticospinal tract so vulnerable?, 872

Kakulas BA, see Elder GCB see Kyriakides T Kalimo H, see Hietaharju A Kaminski HJ, Fenstermaker RA, Abdul-Karim FW. Clayman I.

Abdul-Karim FW, Clayman J, Ruff RL: Acetylcholine receptor subunit gene expression in thymic tissue, 1332 Kanazawa I, see Arasaki K see Genba K

Kanazawa I, see Kusunoki S Kanbe K, Nagase M, Udagawa E: Acute alcoholic rhabdomyolysis associated with abnormal ischemic exercise test, 1269-L

Kaneko K, Yamazaki O, Miyatake T: Correlation between steroid myopathy and the elevated serum lactic dehydrogenase (LDH) 1, 2, and 3 isoenzymes, 1135-L

Kannus P, see Jozsa L

Karpati G, Acsadi G: The potential for gene therapy in Duchenne muscular dystrophy and other genetic muscle diseases, 1141

Katirji MB, Hardy Jr R: Neurogenic thoracic outlet syndrome in a competitive swimmer: a true scalenus anticus syndrome, 1109-A

Katirji MB, see Dokko Y see Hakim MA see Jamieson PW see Voci JM

Kawase Y, see Yuki N Kawashima N, see Fukunaga H Kaymaz C, see Deymeer F Ke L, see Martinez R

Kelkar P, Ross MA: Variation in compound muscle action potential amplitude and area with muscle contraction and position change, 1084-A

Kelly Jr JJ, see Weinberg DH Kenis M, see Topaktas S Keniston RC, see Nathan PA Kennel PF, Poindron P, Warter J-M, Fonteneau P: α-Bungarotoxin sensitization in experimental

autoimmune myasthenia gravis, 461 Kiers L, Clouston P, Zuniga G, Cros D: Abnormalities of F-wave parameters in Guillain-Barré syndrome and chronic inflammatory demyelinating polyneuropathy. 1083-A

polyneuropathy, 1083-A
Kihara M, Opfer-Gehrking TL, Low
PA: Comparison of directly stimulated
with axon-reflex-mediated sudomotor
responses in human subjects and in
patients with diabetes, 655

Kihara M, Zollman PJ, Schmelzer JD, Low PA: The influence of dose of microspheres on nerve blood flow, electrophysiology, and fiber degeneration of rat peripheral nerve, 1388

Kim DH, see Zhao S Kim GC, see Ko H-Y Kim KS, see Ko H-Y Kimura A, see Masakado Y

Kimura J, see Kaji R Kincaid JC, Brashear A, Markand ON: The influence of the reference electrode on CMAP configuration,

Kincaid JC, see Brashear A King JC, see Dumitru D King MK, see Eaton RP King R, see Barohn RJ

Kirby KA, Braker AM: To glove or not to glove: current infection control practices in electrodiagnostic medicine, 1087-A

Kirmani SR, see Agboatwalla M Kline DG, see Zhao S Klug GA, see Jubrias S

Knudtson ER, see Rodriquez AA
Ko H-Y, Kim GC: Measurement of
muscle fiber conduction velocity by
monopolar needle electrode, 1118-A

Ko H-Y, Kim KS: Verification of suction cup reference and ground electrodes by quantitative electromyography, 1119-A

Kobayashi T, see Houi K
Koch SM, see Reid MB
Kocsis JD, see Utzschneider DA
Kofler M, see Leis AA
Koike R, see Tanaka M
Kondo H, see Tanaka M
see Yuki N
Kong K-W, see Chang M-H

Konstadoulakis MM, Papasavvas P, Bitsaktis A, Voumvourakis C, Davaki P, Papageorgiou C: Acute demyelinating peripheral neuropathy in a patient with double monoclonal gammopathy and chronic myelomonocytic leukemia, 431-L

Koo YI, see Park-Ko I Koski CL, see Vriesendorp FJ Kotake H, see Hisatome I Koufman JA, see Walker FO Kovindha A, see Brown TR Kraft GH, see Brown TR

Konyalioğlu R, see Öge AE

see Grana EA Krause RM, see Baroffio A

Krendel DA: Calf muscle hypertrophy, complex repetitive discharges and spinal stenosis (a reply), 323-L

Krendel DA, Shutter LA, Holt PJ: Fiber type disproportion in metachromatic leukodystrophy, 1122-A Kresch E, see Baran E

Krispendorf BB, Riley DA: Distinguishing unloading- versus reloading-induced changes in rat soleus muscle, 99

Krishnamurthy KB, Liu GT, Logigian EL: Case-of-the-month: Acute Lyme neuropathy presenting with polyradicular pain, abdominal protrusion, and cranial neuropathy, 1261

Krolick KA, Barohn RJ, Thompson PA: Repetitive nerve stimulation versus twitch tension in rats with EAMG: a reply. 110-1.

reply, 110-L Kudo N, see Arasaki K

Kumamoto T, Ueyama H, Watanabe S, Murakami T, Araki S: Effect of denervation on overdevelopment of chloroquine-induced autophagic vacuoles in skeletal muscles, 819

Kuncl RW, see Chaudhry V Kuntzer T, Ochsner F, Schmid F, Regli F: Quantitative EMG analysis and longitudinal nerve conduction studies in a Refsum's disease patient, 857

Kurahashi K, see Mitsumoto H Kurland A, see Rich JM

Kuruoglu HR, Oh SJ: A macro-EMG study in chronic demyelinating neuropathy, 1080-A

Kussin PS, sée Morgenlander JC Kusunoki S, Chiba A, Tai T, Kanazawa I: Localization of GM1 and GD1b antigens in the human peripheral nervous system, 752

Kusunoki S, see Arasaki K Kuwabara S, Nakajima M, Tsuboi Y, Hirayama K: Multifocal conduction block in n-hexane neuropathy, 1416-L Kuypers PDL, Gielen FLH, Wai RTJ, Hovius SER, Godschalk M, van Egeraat JM: A comparison of electric and magnetic compound action signals as quantitative assays of peripheral nerve regeneration, 634 Kyriakides T, Silberstein JM, Jongpiputvanich S, Silberstein EPJ, Walsh PJ, Gubbay SS, Kakulas BA: The clinical significance of type 1 fiber predominance, 418

## L

Lacomis D, Chad DA, Aronin N, Smith TW: The myopathy of Cushing's syndrome, 880-L

Lacomis D, Smith TW, Chad DA: Acute myopathy and neuropathy in status asthmaticus: case report and literature review, 84

Lafarga M, see Berciano J Lagerlund TD, see Quesenberry LA see Wszolek ZK

Lagier-Tessonnier F, Balzamo E, Jammes Y: Comparative effects of ischemia and acute hypoxemia on muscle afferents from tibialis anterior in cats, 135

Lagier-Tessonnier F, see Badier M Lamminen A, see Pihko H Lamperth L, see Leon-Monzon M Lane RJM, see Hughes PJ

Lange DJ, Brin MF, Greene P, Lovelace RE, Fahn S: Distant effects of locally injected botulinum toxin: a double-blind study of single fiber EMG changes: a reply, 677-L

Lange DJ, see Alweiss GS see Vu TH

Lange DJ, Trojaborg W, McDonald TD, Blake DM: Persistent and transient "conduction block" in motor neuron diseases, 896

Larsen K, see Sinkjær T
Lash TL, Green LC: Blink reflex
measurement of effects of
trichloroethylene exposure on the
trigeminal nerve, 217-L
Latov N, see Uncini A

Laureno R: Trichloroethylene does not cause trigeminal neuropathy, 217-L

LeBreck DB, see Haig AJ Lederman RJ: Review of Carpal tunnel syndrome and other disorders of the median nerve, 875-B

nerve, 873-B Lee CH, Lee HJ, Bach J: Variance of compound muscle action potential amplitude with active surface pick-up electrode sizes, 1113-A

Lee D, see Ross MH Lee G, see Brown TM

Lee HJ, Bach JR, DeLisa JA: Median nerve sensory conduction through the carpal tunnel, 1098-A

1459

Lee HJ, see Lee CH LeForce B, see Barohn RJ Legarda S, Jayakar P, Duchowny M,

Alvarez L, Resnick T: Benign rolandic epilepsy: dipole relevance, 1126-A Lehtinen I, see Pihko H Lehto M, see Jozsa L

Leis AA: Review of Clinical applications of magnetic transcranial stimulation, 976-B

Leis AA, see Reid MB Leis AA: The cutaneous and mixed nerve silent period, 1130-L Leis AA, Kofler M, Stokic DS,

Grubwieser GJ, Delapasse JS: Effect of the inhibitory phenomenon following magnetic stimulation of cortex on brainstem motor neuron excitability and on the cortical control of brainstem reflexes, 1351

Leis AA, Štětkářová I, Stokic D, Contant CF: Spinal motor neuron excitability during the cutaneous silent period,

1085-A

Leon-Monzon M, Lamperth L, Dalakas MC: Search for HIV proviral DNA and amplified sequences in the muscle biopsies of patients with HIV polymyositis, 408

Lesser EA, Venkatesh S, Preston DC, Logigian EL: Stimulation distal to the lesion in patients with carpal tunnel

syndrome, 1096-A

Lester JM, Soule NW, Bradley WG, Brenner JF: An augmented computer model of motor unit reorganization in neurogenic diseases of skeletal muscle, 43

Leterme D, see Furby A Leung C, see Maselli RA Levin KH, see Maggiano H Levy DM, see Hughes PJ Liberson WT: Significance of mid-latency components of somatosensory evoked potentials, 1126-A

Lin K-P, see Tsai C-P Lin VWH, Romaniuk JR, Allen C, Cadwell J, DiMarco AF: High frequency magnetic stimulation of the inspiratory muscles, 1088-A Lin VWH, Zimmerman P: Magnetic

stimulation of the bladder in dogs,

Links TP, Molenaar WM, Oosterhuis HJGH: Ca-tension relationships of muscle fibers from patients with periodic paralysis, 109-L

Links TP, van der Hoeven JH: Improvement of the exercise test after therapy in thyrotoxic periodic paralysis, 1132-L

Linssen WHJP, Stegeman DF, Joosten EMG, van 't Hof MA, Binkhorst RA, Notermans SLH: Variability and interrelationships of surface EMG parameters during local muscle fatigue, 849

Little JW, see Haughton JF Liu GT, see Krishnamurthy KB Lockwood RS, see Nathan PA

Logigian EL, see Krishnamurthy KB see Lesser EA see Preston DC

see Raynor EM see Ross MH

see Shefner IM Lomas JN, see Ackmann JJ Lorenzo G, see Campos Y Losseff N, see Palace J Lotz BP, Stübgen J-P: The rigid spine syndrome: a vacuolar variant, 530 Louis AA, see Poncelet AN Lovelace RE, see Lange DJ Lovgren D, see Hahn AF Low PA, see Kihara M Luciano CA, Dang N: Turns analysis with reduced detection thresholds in myopathy, 1086-A Luff AR, see Finkelstein DI Lugaresi A, see Uncini A Luo XX, see McLoon LK Luu P, see Russell G

Macdonell R, Shafiq R: Facilitatory effects of voluntary activation on submaximal nerve root stimulation,

MacDonell RAL, see Reutens DC Machetanz J. Bischoff C, Pichlmeier R, Riescher H, Meyer B-U, Conrad B: Contraction of magnetically stimulated healthy muscle is caused by motor nerve excitation, 1089-A

Machetanz J, see Bischoff C Mackin GA, Bird SJ, George AL, Schotland DL: Familial hyperkalemic periodic paralysis without myotonia diagnosed by 'high-dose' oral potassium loading test, 1120-A

MacNeil M, see Eisen A Maggiano H, Levin KH, Wilbourn AJ: Relationship between the medial antebrachial cutaneous sensory and median motor responses in brachial plexopathy, 1113-A

Mainwaring NR, see Ives JR Mak E, see Eisen A Malapert D, see Gherardi RK Mallie S, see Valmier J Mamoli BT, see Finsterer JH Manabe I, see Hisatome I Mandel JD, see Woodbury WM Manente G, see Uncini A Marchettini P: Muscle pain: animal and human experimental and clinical

studies, 1033 Margherita AJ, Robinson L, Heimbach D, Fishfader V, Schneider V, Jones D: Timing of peripheral polyneuropathy after burns, 1080-A

Markand ON, see Kincaid JC Marks SJ, see Esselman PC

Martinez R, Soileau C, Sidman RD, Ke L: The temporal evolution of cortical potential fields during an epileptiform discharge, 1127-A

Martyn JAJ, see Ward JM Masakado Y, Noda Y, Chino N, Nagata M-A, Kimura A, Akaboshi K: Macro-EMG and motor unit recruitment threshold, 987-L

Maselli R, see Soliven B Maselli RA, Leung C: Analysis of anticholinesterase-induced

neuromuscular transmission failure,

Maselli RA, Seval M: Latency fluctuations of single spinal motoneuron responses elicited by magnetic cortical stimulation, 1116-A

Maselli RA, Wollman RL, Leung C, Distad B. Palombi S, Richman DP, Salazar-Grueso EF, Roos RP: Neuromuscular transmission in amyotrophic lateral sclerosis, 1193

Mashiba H, see Hisatome I Massagli TL, Cox RD: Case-of-the-month: Latex hypersensitivity following exposure to gloves during electromyography, 559 Massaro M, see Reisin RC

Massey JM, Sanders DB: Single fiber electromyography in myasthenia gravis during pregnancy, 458 Massie BM, see Degroot M

Masur H, Oberwittler C: SEPs and CNS magnetic stimulation in syringomyelia, 681-L

Matsunaga M, see Baba M Matsuo H, see Takeo G Matsuoka H, see Obi T

Matsuoka T, Goto Y-I, Nonaka I: 'All-or-none" cytochrome c oxidase positivity in mitochondria in chronic progressive external ophthalmoplegia: an ultrastructural-cytochemical study, 206

Matthias DA, see Bhigjee AI Mayer NH, see Anmuth CJ Mayer RF, see Vriesendorp FJ McDonald TD, see Lange DI McGuire S. see Barohn RI McKenna MJ, see Redmond JMT McKinley KL, Harati Y, Schneider LW: Chronic immune activation in the

eosinophilia-myalgia syndrome, 947 McLoon LK, Luo XX, Wirtschafter J: Acute morphologic changes in orbicularis oculi muscle after doxorubicin injection into the eyelid,

McMahon CJ, see Rose MR McManis PG, Sharbrough FW: Orthostatic tremor: clinical and electrophysiologic characteristics, 1254 McQuarrie IG, see Mitsumoto H McVey A, see Barohn RJ McVey AL, see Barohn RI Meadows KD, see Nathan PA Melmed S, see Smith RA Mendelson SG, see Dickoff DI Menkes DL, see Cros D Meola G, Tremblay JP, Sansone V,

Rotondo G, Radice S, Bresolin N, Huard J, Scarlato G: Muscle glucose-6-phosphate dehydrogenase deficiency: restoration of enzymatic activity in hybrid myotubes, 594

Merchut MP, Gruener G: Electrodiagnostic studies in segmental zoster paresis, 1093-A

Meyer B-U, see Bischoff C see Machetanz J Miller RG, see Degroot M Miralles R, see Navarro X

Mitsumoto H, Kurahashi K, Jacob JM,

McQuarrie IG: Retardation of fast axonal transport in wobbler mice, 542 Mitsumoto H, see Ikeda K Miyaji M, see Ando Y Miyakoda H, see Hisatome I Miyamoto J, see Hisatome I Miyatake T, see Kaneko K see Yuki N Mizoguchi K, see Obi T Mochio S, see Houi K Molenaar WM, see Links TP Mondelli M, Rossi A, Passero S, Guazzi GC: Involvement of peripheral sensory fibers in amyotrophic lateral sclerosis: electrophysiological study of 64 cases, 166 Montemayor ES, see Higuchi I Montón F, see Berciano Moon A, see Trojaborg W Moorhouse D, see Bhigjee AI Morgado FD, see Carvalho MA Morgan RF, see Phillips II LH Morgan-Hughes JA, see Rose MR Morgello S, see Simpson DM Morgenlander JC, Bossen EH, Kussin PS, Sanders DB: Unusual features in a patient with acid maltase deficiency, 1121-A Morin JF, see Veilleux M Morita H, Shindo M, Yanagawa S, Yanagisawa N: Neuromuscular response in man to repetitive nerve stimulation, 648 Morita M, see Yoshida T Moritoyo T, see Fukunaga H Morris JGL, see Sheean G Mortifee P, see Stewart H Motomura M, see Takeo G Mouallem M, see Sadeh M Mounier Y, see Furby A Muñoz E, see Alvarez R see Valls-Solé J Munsat TL, see Smith RA Murakami T, see Kumamoto T Mustafa C, see Claus D

## M

Nagai H, see Tanaka M Nagase M, see Kanbe K Nagata M-A, see Masakado Y Nagataki S, see Takeo G Nagel A, see Engel AG see Uchitel O Nagendran K, see Spillane K Nakajima M, see Kuwabara S Nakamura A, see Yoshida K Nakashima K, see Hisatome I Nakayasu H, see Hisatome I Namba T, see Pagala M Nandakumar NV, see Pagala M Nandedkar SD, Barkhaus PE: Motor unit action potential analysis using a decomposition algorithm, 1086-A Nandedkar SD, see Barkhaus PE Nathan PA, Keniston RC, Meadows KD, Lockwood RS: Predictive value of nerve conduction measurements at the carpal tunnel, 1377

Myers T: The electrodiagnosis of carpal tunnel syndrome, 798-L

Nau KL, see Bromberg MB Naumann M, Toyka KV, Goebel HH, Hofmann E, Reichmann H: Focal myositis of the temporal muscle, 1374 Navarro X, Miralles R, Espadaler JM, Rubiés-Prat J: Comparison of sympathetic sudomotor and skin responses in alcoholic neuropathy, 404 Neahring R, see Ross MA Neering IR, see Dangain J Nelson A, see Nunez P Nelson KR, Goodhert R: Median neuropathy at the elbow: confirmation by intraoperative incremental stimulation, 1098-A Nelson KR, Hoover S: Age related changes of median sensory conduction through the carpal tunnel, 1111-A Neundörfer B, see Claus D Ng AV, see Rodriquez AA Nicola Siri LC, see Escobar ALM Nielsen JF, Andersen H, Nielsen VK: Reduced capability of transmitting high frequency impulses in tail nerves of diabetic rats, 283 Nielsen VK, see Nielsen JF Nişanci Y, see Deymeer I Nishida T, see Oswald TA Nishimura Y, see Obi T Noda Y, see Masakado Y Nogués MA, Rivero A: Arterial hypertension, nifedipine, and myasthenia gravis, 797-L Noireaud J, see Péréon Y Nonaka I, see Matsuoka T Normand M, see Wszolek ZK Normand MM, Wszolek ZK, Torkelson RD: Peripheral neuropathy in familial glucocorticoid deficiency with achalasia of the cardia, 1103-A

Notermans SLH, see Linssen WHJP see Schellens RLLA
Nunez P, Nelson A, Cao G, Westdorp
A, Wijesinghe R, Silberstein R,
Cadusch P: Application of
high-resolution EEG to somatosensory
evoked potentials and spontaneous
EEG, 1125-A
Nunez P, see Russell G

Norris FH, see Chou SM

## 0

Oberwittler C, see Masur H Obi T, Mizoguchi K, Matsuoka H, Takatsu M, Nishimura Y: Muscle cramp as the result of impaired GABA function-an electrophysiological and pharmacological observation, 1228 Ochoa D: Discussions, 1066 Ochoa JL: Guest editorial: essence, investigation, and management of "neuropathic" pains: hopes from acknowledgment of chaos, 997 Ochoa JL, see Verdugo RJ Ochoa JL: The human sensory unit and pain: new concepts, syndromes, and tests, 1009 Ochsner F, see Kuntzer T

Oev PL: Stimulation SFEMG: a stimulation rate of 2 HZ might be inadequate to find the recording position, 563-L Oey PL, Wieneke GH, Hoogenraad TU, VAN Huffelen AC: Ocular myasthenia gravis: the diagnostic yield of repetitive nerve stimulation and stimulated single fiber EMG of orbicularis oculi muscle and infrared reflection oculography, 142 Öge AE, see Deymeer F Oge AE, Yazici J, Boyaciyan A, Tanyeri S, Celik M, Konyalioğlu R, Baslo A: Magnetic stimulation in hemifacial spasm and post-facial palsy synkinesis, Ogino K, see Hisatome I Oh SJ, see Barr CW see Campbell WW see Cichy SW see Claussen GC see Dietzen CJ see Kuruoglu HR see Smith KE see Thomas HF Ohama E, see Yuki N Ohishi K, see Takeo G Ohsawa T, see Yuki N Okamoto K, see Yoshida T Okubo R, see Fukunaga H Okutsu I, see Genba K Olney RK, Fraser JL: Predictive equations for F-waves (a reply), 878-L Olney RK, see Greenberg SA Olson WL, see Auberle JA Oosterhuis HJGH, see Links TP Opfer-Gehrking TL, see Kihara M Osame M, see Fukunaga H see Higuchi I Oswald TA, Nishida T, Wertsch JJ, Vennix MJ: Comparison of proximal versus distal segment nerve

## P

nerve, 1082-A

Otte G, see Vingtoft S

Ozaki I, see Baba M

Owens J, see Triggs WJ

Oswald TA, see Vennix MJ

Özdemir C, see Deymeer F

Pagala M, Nandakumar NV, Venkatachari SAT, Ravindran K, Amaladevi B, Namba T, Grob D: Mechanisms of fatigue in normal intercostal muscle and muscle from patients with myasthenia gravis, 911 Palace J, Losseff N, Clough C: Isolated dysphagia due to polymyositis, 680-L Palliyath S: Diabetic proximal neuropathy, 1270-L Palliyath SK: Carpal tunnel syndrome: importance of family history, 1096-A Palliyath SK, Trufant S, Stazio A, Preyan S: Central motor conduction time and motor evoked potentials in stroke patients, 1115-A Palombi S, see Maselli RA Paltiel O, see Veilleux M

conduction studies of saphenous

Pan S-P, see Tseng K-C Pan S-PH, Yu SJ: The different temperature influence on nerve conduction in carpal tunnel syndrome, 1082-A Panayiotopoulos CP, see Chroni E Pant B, see Eisen A Papageorgiou C, see Konstadoulakis Papasavvas P, see Konstadoulakis MM Park TA, see Del Toro DR see Sable AW see Vennix MI see Woodbury WM Park TS, see Phillips II LH Park-Ko I, Jo GY, Koo YI: Greater auricular nerve injury after ventriculoperitoneal shunt operation, 1102-A

Parkes A, see Bolton CF
Parry GJ, see Al Midani H
Passero S, see Mondelli M
Pauzner R, see Sadeh M
Pavlidou P, see Theophilidis G
Pearlman RL, see Barr CW
Pedoe DST, see Spillane K
Péréon Y, Elkhammari A, Noireaud J:
Differential susceptibility to repetitive
potassium induced contractures in
diaphragm versus extensor digitorum
longus muscles of mdx mice, 1423-L
Person DA, see Saito CK

Persson A, see Solders G
Petrera J, see Vingtoft S
Pfeiffer RF, see Wszolek ZK
Philip PA, see Weinstein SC
Phillips II LH, Morgan RF: Anomalous
origin of the sural nerve in a patient
with tibial–common peroneal nerve
an

Phillips II LH, Park TS:
Electrophysiological mapping of the segmental innervation of the saphenous and sural nerves, 827
Phillips II LH, see Dewberry RG

rnumps II LH, Williams FH: Are nerve conduction studies useful for monitoring the adequacy of renal dialysis?, 970 Phillips RC, see Cheong DM-O

Pichlmeier R, see Machetanz J Piefer A, see Brown TR Pihko H: Progressive unilateral hypertrophic myopathy (a reply), 1133-L

Pihko H, Lehtinen I, Tikkanen H, Härkönen M, Rapola J, Lamminen A, Sahlman A, Somer H: Progressive unilateral hypertrophic myopathy: a case study, 63

Piros JG, see Ross MA
Poindron P, see Kennel PF
Poizner H, see Hening WA
Poncelet AN, Louis AA, Fraser JL,
Hotson JR: Refractory period in
human immunodeficiency virus
sensory neuropathies, 1127-A
Potts G, see Russell G

Powers RK, see Haughton JF Prahl PA, see Raynor EM Preston DC: Electrophysiology of microsporidia myositis in an AIDS patient, 1420-L Preston DC, see Lesser EA see Raynor EM see Shapiro BE

Preston DC, Shefner JM, Venkatesh S, Logigian EL: Submaximal stimuli activate different nerve fiber populations at different sites, 1111-A Preyan S, see Palliyath SK Pridgeon RM, see Campbell WW

Prout A, Eisen AA: Characteristics and components of the peripheral and cortically induced silent periods, 1089-A

Q

Quesenberry LA, Lagerlund TD, Jacobs EC: Implementation of a clinical neurophysiology data interchange standard, 1128-A

Quiambao F, see Hooshmand H Quisling RG, see Triggs WJ

R

Radecki PL: Short segment incremental studies (SSIS) in the evaluation of ulnar neuropathy at the elbow, 677-L Radice S, see Meola G Ramírez B, see Vergara C Ramsey GG, see Ford MR Ranatunga KW, see Thomas PE Rapola J, see Pihko H Ravindran K, see Pagala M Raynor E, see Shefner JM Raynor EM, Prahl PA, Logigian EL: Influence of electrode placement on sensory conduction parameters, 1110-A

Raynor EM, Ross MH, Preston DC: Differentiation between axonal and demyelinating neuropathies: identical segments recorded from proximal and distal muscles, 1110-A Redmond [MT, McKenna MJ, Feingold

Redmond JMT, McKenna MJ, Feingold M, Ahmad BK: Effect of thermode temperature on thermal testing, 799-L Regensteiner JG, see England JD Regli F, see Kuntzer T

Reichmann H, see Naumann M Reid MB, Grubwieser GJ, Stokic DS, Koch SM, Leis AA: Development and reversal of fatigue in human tibialis anterior, 1239

Reisin RC, Cersósimo R, Alvarez MG, Massaro M, Fejerman N: Acute "axonal" Guillain Barré syndrome in childhood, 1310

Resnick T, see Legarda S Reutens DC, MacDonell RAL, Berkovic SF: The influence of changes in the intensity of magnetic stimulation on coil output, 1338

Reverte M: Adverse effect of verapamil in myasthenia gravis: an additional comment, 879-L

Reynen H, see Heerschap A Riaz G, Selhorst JB: Autoimmune link in amyotrophic lateral sclerosis?, 1106-A Rich JM: Efficacy of immunoglobulin treatment in myasthenia gravis evaluated by single fiber EMG measurements, 1090-A Rich JM, Brown Jr RH, Cros D: Mexiletine therapy for myotonia:

clinical and EMG response, 1121-A Rich JM, Vosburgh E, Kurland A: Aseptic meningitis associated with intravenous immunoglobulin therapy, 1099-A

Richman DP, see Maselli RA
Riescher H, see Machetanz J
Riley DA, see Krippendorf BB
Rivero A, see Nogués MA
Rivner MH, Swift TR, Crout BO:
Height and nerve conduction, 562-L
Rizzo III JF, see Weinberg DH
Robinson LR, see Margherita AJ
Robinson LR, see Campbell WW
see Esselman PC

Robinson LR, see Haughton JF Rodriquez AA, Agre JC, Knudtson ER, Franke TM, Ng AV: Acoustic myography compared to electromyography during isometric fatigue and recovery, 188

Rodriquez AA, see Harmon RL Rogers WE, see Dumitru D Rolleri M, see Hening WA Romaniuk JR, see Lin VWH Rønager J, see Vingtoft S Roos RP, see Appelbaum JS see Maselli RA

Rose MR, Howard RS, Genet SA, McMahon CJ, Whitfield A, Morgan-Hughes JA: A case of myopathy associated with a dystrophin gene deletion and abnormal glycogen storage, 57

Ross MA, Neahring R, Piros JG: Impaired gastrointestinal motility in chronic inflammatory demyelinative polyneuropathy, 1102-A

Ross MA, see Beattie JR see Kelkar P

Ross MA, Young ML, Worrell JB: Acute axonal sensorimotor polyneuropathy associated with trimethoprimsulfamethoxazole, 1101-A

Ross MH, Lee D, Charness ME, Logigian EL: Does neuropathy predispose to the development of focal dystonia? A study of antagonist burst patterns in ulnar neuropathy, 1090-A

Ross MH, see Raynor EM
Rossi A, see Mondelli M
Rotondo G, see Meola G
Roy RR, see Bodine-Fowler SC
Ruacan S, see Anlar B
Rubiés-Prat J, see Navarro X
Ruff RL: Ca-tension relationships of
muscle fibers from patients with
periodic paralysis: a reply, 109-L
Ruff RL see Kaminski HJ

Ruff RL, see Kaminski HJ Ruff RL, Whittlesey D: Na<sup>+</sup> currents near and away from endplates on human fast and slow twitch muscle fibers, 922

Russell G, Tucker D, Dien J, Luu P, Potts G, Compton P, Nunez P, Wijesinghe R, Westdorp A, Cao G: Evaluation of dipole localization, spline laplacian and PCA algorithms with data simulating event related potentials, 1127-A

## S

Saadeh P, see Anselmi GD
Saadeh PB, Crisafulli C, Garofalo M:
Needle EMG of the diaphragm, 323-L
Saadeh PB, Crisafulli CF, Sosner J, Wolf
E: Needle electromyography of the
diaphragm: a new technique, 15

Sable AW, Wertsch JJ, Park TA, Zhu H: Thenar compound muscle action potential recording electrode site reproducibility: a comparison of two techniques, 1113-A

Sackellares JC, Zheng C, Zaveri HP, Williams WJ: Comparison of time, frequency and time-frequency domain display of EEG with muscle contamination, 1128-A Sadeh M, Blatt I, Goldhammer Y:

Sadeh M, Blatt I, Goldhammer Y: Single fiber EMG in a congenital myasthenic syndrome associated with facial malformations, 177

Sadeh M, Pauzner R, Blatt I, Mouallem M, Farfel Z: Mitochondrial abnormalities in oculopharyngeal muscular dystrophy, 982-L

Sahlman A, see Pihko H
Saito CK, Person DA: Polyarteritis
nodosa: electrophysiologic and
neuropathologic study in a child,
1104-A

Sakajiri K, see Takamori M Salanga VD, see Cheong DM-O Salazar-Grueso EF, see Maselli RA Sales Luis ML, see Carvalho MA Salone JC, Haig AJ: Methodology for

Salone JC, Haig AJ: Methodology for a quality assurance follow-up of electrodiagnostic testing, 1120-A Salzsieder BT, see Jabre JF

Sandel E, see Baran E
Sander HW, see Cros D
Sanders DB, see Massey JM
see Morgenlander JC
see Tim RW

Sanders I, see Shaari CM see Simpson DM Sansone V, see Meola G

Santoro M, see Uncini A Sapkota S, see Ford MR Saponara I, see Vladutiu GD

Sato S, see Yuki N Sawaya R: Spinal cord lesion after epidural anesthesia diagnosed by motor evoked potentials, 883-L

Scarlato G, see Meola G
Schellens RLLA, VAN Veen BK,
Gabreëls-Festen AAWM, Notermans
SLH, VAN 't Hof MA, Stegeman DF:
A statistical approach to fiber
diameter distribution in human sural
nerve. 1342

Schinder AF, see Escobar ALM Schmelzer JD, see Kihara M Schmid F, see Kuntzer T Schneider BF, see Dewberry RG Schneider LW, see McKinley KL Schneider V, see Margherita AJ Schochet SS, see Gutmann L Schofield IS, see Vingtoft S
Schomer DL, see Ives JR
Schotland DL, see Mackin GA
Schulzer M, see Eisen A
see Stewart H
Scott GE, see Walker FO
Searby C, see Ionasescu VV
Segura D, see Campos Y
Selhorst JB, see Riaz G
Seror P: Sensitivity of various
electrophysiologic studies for the
diagnosis of carpal tunnel syndrome,
1418-L

Seyal M, see Maselli RA Shaari CM, Sanders I: Quantifying how location and dose of botulinum toxin injections affect muscle paralysis, 964 Shafiq R, see Macdonell R

Shapiro BE, Preston DC: Factitious conduction velocity slowing in a patient with a Martin-Gruber anastomosis, 1112-A
Shapiro C, see Beydoun SR
Sharbrough FW, see McManis PG
Sharon D, see Brown TM
Sheean G, Morris JGL: Handcuff neuropathy involving the dorsal ulnar cutaneous nerve, 325-L

Shefner J, see Venkatesh S Shefner JM, Logigian EL: Relationship between stimulus strength and the cutaneous silent period, 278

Shefner JM, Logigian EL: The cutaneous and mixed nerve silent period (a reply), 1131-L

Shefner JM, Raynor E: Recurrent inhibition is decreased in patients with amyotrophic lateral sclerosis, 1088-A Shefner JM, see Preston DC Sherman B, see Smith RA

Shindo M, see Morita H Shoji S, see Yoshida K Shutter LA, see Krendel DA Sibbitt RR, see Eaton RP Sibbitt WL, see Eaton RP Sidman RD, see Ford MR

see Martinez R
Sieben G, see Vingtoft S
Siegel CB, see Tamler MS

Siegel IM, Bernardoni G: Kineceptic ankle–foot orthosis in neuromuscular disease, 983-L Silberstein FPI see Kyrjakides T

Silberstein EPJ, see Kyriakides T Silberstein JM, see Kyriakides T Silberstein R, see Nunez P Silverstein B, see Stetson D

Simmons Z, Bromberg MB, Feldman EL, Blaivas M: Polyneuropathy associated with IGA monoclonal gammopathy of undetermined significance, 77

Simmons Z, Bromberg MB, Feldman EL, Blaivas M: Polyneuropathy associated with IgA monoclonal gammopathy of undetermined significance (a reply), 1130-L

Simmons Z, see Bromberg MB Simmons Z, Wald J, Albers JW, Feldman EL: Polyneuropathy in POEMS syndrome with a 'benign' rib lesion. 1105-A

Simpson DM, Morgello S: Multifocal cytomegalovirus demyelinative

polyneuropathy associated with AIDS, 1103-A

Simpson DM, see Citak KA see Dickoff DJ

Simpson DM, Sternman D, Graves-Wright J, Sanders I: Vocal cord paralysis: clinical and electrophysiologic features, 952

Singer C, Weiner WJ: Distant effects of locally injected botulinum toxin: a double-blind study of single fiber EMG changes, 677-L Sinkjær T, Toft E, Larsen K,

Sinkjær T, Toft E, Larsen K, Andreassen S, Hansen HJ: Non-reflex and reflex mediated ankle joint stiffness in multiple sclerosis patients with spasticity, 69

Sipilä S, Suominen H: Muscle ultrasonography and computed tomography in elderly trained and untrained women, 294

Smith KE, Fesenmeier JT, Claussen GC, Oh SJ: Myokymia/fasciculation-cramp syndrome: electrophysiologic evidence of 'hyperexcitable peripheral nerve', 1084-A

Smith KE, see Claussen GC Smith KKE, see Cichy SW Smith RA, Melmed S, Sherman B, Frane J, Munsat TL, Festoff BW: Recombinant growth hormone treatment of amyotrophic lateral

sclerosis, 624
Smith T, see Brown TR
Smith TW, see Lacomis D
So YT, see Greenberg SA
Soileau C, see Martinez R
Solders G, Andersson T, Borin Y,

Brandt L, Persson A: Electroneurography index: a standardized neurophysiological method to assess peripheral nerve function in patients with polyneuropathy, 941

Soliven B, Maselli R: Single motor unit H-reflex in motor neuron disorders (a reply), 566-L

Somer H, see Pihko H
Sonawalla A, see Agboatwalla M
Sonoo M, see Bischoff C
Soong S, see Cichy SW
Sosner J, see Saadeh PB
Soso MJ, Jannetta PJ, Giuliani MJ:

Soso MJ, Jannetta PJ, Giuliani MJ: Jaw-jerk reflexes and masseter EMG in trigeminal neuralgia, 1102-A Soule NW, see Lester JM

Spaans F, see Verschuuren J Spellman NT, see Dillingham TR Spillane K, Nagendran K, Pedoe DST: Marfan's syndrome in association with cervical rib syndrome, 979-L Stagliano N, see Baran E

Stålberg E, see Bischoff C see Falck B see Trontelj JV Starzl T, see Wilson JR Stashuk DW, see Doherty TJ Stazio A, see Palliyath SK Stegeman DF, see Linssen WHJP see Schellens RLLA

Sternman D, see Simpson DM Štětkářová I, see Leis AA Stetson D, Albers J, Silverstein B, Wolfe

R: Predictive equations for F-waves (a reply), 877-L Stevens JC, see Daube JR

Stevens L, see Furby A Stevenson PN, see Tomski MA Stevenson PN, Tomski MA: Pronator teres syndrome in a human immunodeficiency virus positive male worker, 1100-A

Stewart H, Mortifee P, Schulzer M, Eisen AA: Mapping the motor cortex with transcranial magnetic stimulation: a reliability study, 1115-A

Stewart H. see Eisen A Stewart JD: Proximal median neuropathies: electromyographic and clinical correlation, 321-L Stewart-Wynne EG, see Dunne JW Stigsby B, see Vingtoft S Stokes MJ, see Dalton PA

Stokic D, see Leis AA Stokic DS, see Leis AA see Reid MB Stübgen J-P, see Lotz BP

Sumner AJ, see Wilson JR Sungur A, see Anlar B Suominen H, see Sipilä S Suzuki K, see Yuki N

Swash M: Arterial hypertension, nifedipine and myasthenia gravis (a reply), 797-L

Swash M, see Hasan N Sweeney PJ, see Wilbourn AJ Swift TR, see Rivner MH Szabo A, Wilbourn AJ: Spiral groove radial neuropathy mimicking a posterior interosseous neuropathy, 1099-A

Tafuro M, see Uncini A Tai T. see Kusunoki S Takahashi K, see Hisatome I Takamori M, Sakajiri K, Hamada T: Atropine modulates presynaptic function in mice with passively transferred Lambert-Eaton myasthenic syndrome, 115-L Takatsu M, see Obi T Takeda S, see Yoshida K Takeo G, Motomura M, Matsuo H,

Ohishi K, Yoshimura T, Tsujihata M, Nagataki S: Effect of myasthenic IgG on degradation of junctional acetylcholine receptor, 840

Talley C, see Haig AJ Tamler MS, Siegel CB: Magnetic stimulation: C-8 root standardization based on arm length and arm position, 836

Tanaka M, Koike R, Kondo H, Tsuji S, Nagai H: Lymphocyte subsets in amyotrophic lateral sclerosis with motor conduction block, 116-L

Tanaka Y, see Ando Y see Hisatome I Tandan R, see Fries T] Tanyeri S, see Öge AE Tassini L, see Vladutiu GD Taylor PK: CMAP dispersion, amplitude decay, and area decay in a normal population, 1181

Theophilidis G, Pavlidou P: The vitality of the sciatic nerve of the frog and rat in a chamber which allows maintained in vitro recording of the compound nerve action potentials, 113-L

Thomas D, see Barr CW Thomas HF, Heinsohn ME, Oh SJ: GM, antibody associated with POEMS syndrome, 1104-A

Thomas PE, Ranatunga KW: Factors affecting muscle fiber transformation in cross-reinnervated muscle, 193

Thompson HW, see Zhao S Thompson PA, see Krolick KA Tikkanen H, see Pihko H Tim RW, Sanders DB: Repetitive nerve stimulation studies in the Lambert-Eaton myasthenic syndrome, 1091-A

Toft E, see Sinkjær T Tokimura H, Tokimura Y, Asakura T: Transcranial magnetic stimulation of facial nerve with a figure 8 coil, 882-L Tokimura Y, see Tokimura H

Tolosa ES, see Alvarez R see Valls-Solé J Tomski MA, see Corsolini TB

see Esselman PC Tomski MA, see Stevenson PN Tomski MA, Stevenson PN, Corsolini TB: Bilateral scapular winging secondary to spinal accessory and long thoracic nerve lesions in the same

injured worker, 1100-A Topaktas S, Dener S, Kenis M, Dalkara T: Myasthenia gravis and vitiligo, 566-I

Torebjörk E: Human microneurography and intraneural microstimulation in the study of neuropathic pain, 1063 Torkelson RD, see Normand MM Toyka KV, see Naumann M Tremblay JP, see Meola G Triggs WJ, Berić A: Giant somatosensory evoked potentials in a patient with the anterior spinal artery

Triggs WJ, Owens J, Campbell K, Gilmore R, Quisling RG: Physiologic but not radiologic abnormalities in a patient with myelopathy after electrocution, 1115-A

syndrome, 492

Triggs WJ, see Valenstein E see Vriesendorp FJ Trojaborg NS, see Trojaborg W Trojaborg W: Clinical, electrophysiologic and myelographic studies in traumatic brachial plexus injuries. Discrepancies between EMG and x-ray findings, 1095-A

Trojaborg W, Moon A, Andersen BB, Trojaborg NS: Height and nerve conduction (a reply), 563-L Trojaborg W, see Lange DJ Trontelj JV: Muscle fiber conduction velocity changes with length, 506

Trontelj JV, see Denišlič M Trontelj JV: Single motor unit H-reflex in motor neuron disorders, 565-L Trontelj JV, Stålberg E: Stimulation

SFEMG: a stimulation rate of 2 HZ might be inadequate to find the recording position (a reply), 564-L Trueman S, see Eisen A Trufant S, see Palliyath SK Tsai C-P, Yeh H-H, Tsai J-J, Lin K-P, Wu Z-A: Transverse myelitis and polyneuropathy in idiopathic hypereosinophilic syndrome, 112-L Tsai J-J, see Tsai C-P Tseng K-C, Pan S-P: Evaluation of suppression period on H-reflex in young adults, 1127-A Tsuboi Y, see Kuwabara S Tsuji S, see Tanaka M

see Yuki N

Tsujihata M, see Takeo G

Tucker D, see Russell G

Uchitel O, Engel AG, Walls TJ, Nagel A, Atassi MZ, Bril V: Congenital myasthenic syndromes: II. Syndrome attributed to abnormal interaction of acetylcholine with its receptor, 1293 Uchitel OD, see Escobar ALM Udagawa E, see Kanbe K Ueyama H, see Ando Y see Kumamoto T Ugawa Y, see Genba K Uncini A, Di Muzio A, Awad J, Manente G, Tafuro M, Gambi D: Sensitivity of three median-to-ulnar comparative tests in diagnosis of mild carpal tunnel syndrome, 1366 Uncini A. Santoro M. Corbo M.

Lugaresi A, Latov N: Conduction abnormalities induced by sera of patients with multifocal motor neuropathy and anti-GM1 antibodies, 610

Unguez GA, see Bodine-Fowler SC Uttley T, see Hooshmand H Utzschneider DA, Bhisitkhul RB, Kocsis ID: Increased spike-frequency adaptation and tea sensitivity in dorsal root fibers after sciatic nerve injury,

Valenstein E, Cibula J, Triggs WJ: Rapid appearance of axon reflexes in a patient with the Guillain-Barré syndrome, 1111-A Valldeoriola F, see Alvarez R

see Valls-Solé J

Valls-Solé J, Alvarez R, Muñoz E, Valldeoriola F, Tolosa ES: An analysis of the responses of the soleus muscle to transcranial magnetic stimulation, 1116-A

Valls-Solé J, see Alvarez R Valmier J, Mallie S, Baldy-Moulinier M: Skeletal muscle extract and nerve growth factor have developmentally regulated survival promoting effects on distinct populations of mammalian sensory neurons, 397

van 't Hof MA, see Linssen WHJP see Schellens RLLA

van der Harst CL, see Andary MT van der Hoeven JH, see Links TP VAN DER Hoeven JH, van Weerden TW, Zwarts MJ: Long-lasting supernormal conduction velocity after sustained maximal isometric contraction in human muscle. 312

VAN DER Linden C, Bruggeman R: Multiple descending corticospinal volleys demonstrated by changes of the wrist flexor H-reflex to magnetic motor cortex stimulation in intact human subjects, 374

VAN Egeraat JM, see Kuypers PDL VAN Huffelen AC, see Oey PL VAN Veen BK, see Schellens RLLA VAN Weerden TW, see VAN DER Hoeven IH

Veilleux M, Morin JF: Bilateral phrenic neuropathies following cardiac surgery, 1109-A

Veilleux M, Paltiel O, Falutz J: Peripheral neuropathy in early stages of HIV infections, 1101-A

Velleman SG, Brown SM, Gustafson SK, Faustman LC, Beaurang PA, Craft F, Hausman RE: Partial characterization of a novel avian defect affecting adult muscle function, 881-L

Venema HW: Modeling fiber type grouping by a binary Markov random field: an elucidation, 430-L

Venkatachari SAT, see Pagala M Venkatesh S, Bauer S, Dyro F, Shefner J: Spared sacral function in patients with complete thoracolumbar myelodysplasia, 1117-A

Venkatesh S, see Lesser EA see Preston DC

Vennix MJ, Oswald TA, Wertsch JJ: Saphenous nerve injury secondary to intravenous drug abuse, 1095-A

Vennix MJ, see Del Toro DR see Oswald TA

Vennix MJ, Wertsch JJ, Park TA, Del Toro DR: Radial motor nerve mapping of the forearm, 1112-A

Verdugo RJ, Ochoa JL: Use and misuse of conventional electrodiagnosis, quantitative sensory testing, thermography, and nerve blocks in the evaluation of painful neuropathic syndromes, 1056

Vergara C, Ramírez B, Behrens MI: Colchicine alters apamin receptors, electrical activity, and skeletal muscle relaxation, 935

Verschuuren J, Spaans F, De Baets M: Repetitive nerve stimulation versus twitch tension in rats with EAMG, 110-L

110-L
Vila A, see Vingtoft S
Villanueva M, see Campos Y
Vingtoft S, Fuglsang-Frederiksen A,
Rønager J, Petrera J, Stigsby B,
Willison RG, Jarratt JA, Fawcett PRW,
Schofield IS, Otte G, Sieben G, Vila
A: KANDID—an EMG decision
support system—evaluated in a
European multicenter trial, 520

Vishnubhakat SM: Acute femoral neuropathy-clinical and serial electrophysiologic studies, 1096-A Vishnubhakat SM: Clinical and

visinuonakat SM: Clinical and neurophysiologic abnormalities and possible predictors of outcome in central cord syndrome, 1116-A

Vladutiu GD, Hogan K, Saponara I, Tassini L, Conroy J: Carnitine palmitoyl transferase deficiency in malignant hyperthermia, 485

Voci JM, Al-Hakim M, Dokko Y, Katirji MB: Intravenous methocarbamol in the treatment of stiff-man syndrome, 434-L

Vogel W, see Claus D Vosburgh E, see Rich JM Voumvourakis C, see Konstadoulakis MM

Vriesendorp FJ, Triggs WJ, Mayer RF, Koski CL: Nerve conduction studies in three patients with fulminant Guillain-Barré syndrome and poor recovery, 1106-A

Vu TH, Lange DJ, Hays AP, Weinberg D: Inflammatory cell infiltrates in ALS: clinical significance, 1107-A

## W

Wachsman W, see Bhigjee AI see Dickoff DI Wade JPH, see Hughes PI Wagg A, see Hasan N Wai RTJ, see Kuypers PDL Waisburg HA, see Engel AG Wakayama Y, see Jimi T Wald J, see Simmons Z Walker FO: Electrodiagnostic findings in Wadia-type olivopontocerebellar atrophy, 1105-A Walker FO, Joharji GM, Koufman JA: An electromyographic study of vocal cord paralysis, 1093-A Walker FO, Scott GE, Butterworth J: Sustained focal effects of low-dose intramuscular succinylcholine, 181 Walls TJ, see Engel AG see Uchitel O Walsh PJ, see Kyriakides T Warach S, see Ives JR Ward JM, Martyn JAJ: Burn injury-induced nicotinic acetylcholine receptor changes on muscle membrane, 348 Warter J-M, see Kennel PF Watahiki Y, see Baba M Watanabe S, see Ando Y see Kumamoto T Wathanadilokkol U, see Brown TR Watson BV, see Brown WF Waxman SG: Editorial: peripheral nerve abnormalities in multiple sclerosis, 1 Wegryn TL: Postoperative musculocutaneous mononeuropathy in a police cadette, 1099-A Weidman D, see Gutmann L Weimer LH, see Alweiss GS Weinberg D, see Vu TH

Weinberg DH, Rizzo III JF, Hayes M,

Kelly Jr JJ: Prospective study of

ocular myasthenia gravis: predictive value of single fiber EMG and other diagnostic tests, 1091-A
Weiner MW, see Degroot M
Weiner WJ, see Singer C
Weinstein SC, Philip PA: Deep palmar branch ulnar neuropathy secondary to crutches use, 1096-A
Welshofer JA, see Woodbury WM
Werner RA, Franzblau A: Comparison of vibrometry and electrophysiologic assessment in evaluation of carpal tunnel syndrome, 1093-A

Wertsch JJ, see Ackmann JJ see Del Toro DR see Oswald TA see Sable AW see Vennix MJ see Woodbury WM Westdorp A, see Nunez P

see Russell G Wexner SD, see Cheong DM-O Whitfield A, see Rose MR Whittlesey D, see Ruff RL

Whittlesey D, see Ruff RL
Wiegner AW, Wierzbicka MM, Davies L,
Young RR: Discharge properties of
single motor units in patients with
spinal cord injuries, 661

Wieneke GH, see Oey PL Wierzbicka MM, see Wiegner AW Wijesinghe R, see Nunez P see Russell G Wilbourn AJ, see Holmlund T

see Maggiano H see Szabo A

Wilbourn AJ, Sweeney PJ: Ulnar neuropathies in the hand due to automobile accidents, 1092-A Wilcox MS, Bilbao A: Sensitivity of

Wilcox MS, Bilbao A: Sensitivity of electrophysiological studies and the carpal tunnel syndrome, 1265-L.

Wiley CA, see Bhigjee AI
see Dickoff DJ
Wilkie L, see Hahn AF
Williams FH, see Phillips II LH
Williams WJ, see Sackellares JC
Willison RG, see Vingtoft S
Wilson JR, Conwit RA, Eidelman BH,
Starzl T, El-Magd K: Sensorimotor
neuropathy resembling chronic
inflammatory demyelinating
polyneuropathy in patients receiving

FK506, 1081-A
Wilson JR, Eichelman J, Sumner AJ:
Aberrant reinnervation following
hypoglossal nerve damage, 1094-A
Windsor IM, see Bhigjee AI
Wirtschafter J, see McLoon LK
Witt TN, see Bötzel K
Wolf E, see Anselmi GD
see Saadeh PB
Wolfe DE, see Dickoff DJ

Wolfe R, see Stetson D
Wollman RL, see Maselli RA
Woodbury WM, Welshofer JA, Mandel
JD, Park TA, Wertsch JJ: Analysis of
temperature fluctuation during
routine nerve conduction studies,
1110-A

Worrell JB, see Ross MA Wright DJM, see Hughes PJ Wszolek ZK, Normand M, Lagerlund TD, Pfeiffer RF: EEG background frequency analysis in patients with rapidly progressive autosomal dominant Parkinsonism and dementia with pallido-ponto-nigral degeneration, 1126-A
Wszolek ZK, see Normand MM
Wu PBJ, Gussner CG, Date E:
Correlation of EMG, compound muscle action potential and sensory nerve action potential amplitude decrease in mononeuropathies with axonal loss, 1091-A
Wu Z-A, see Tsai C-P

## Y

Yamada M, see Yuki N Yamamoto Y, see Hisatome I Yamanouchi Y, see Yoshida T Yamazaki M, see Yuki N Yamazaki O, see Kaneko K Yanagawa S, see Morita H Yanagisawa N, see Morita H see Yoshida K Yarnell P, see Cherington M Yates IRW, see Deymeer F Yazici J, see Öge AE Yeh H-H, see Tsai C-P Yoshida K, Ikeda S-I, Nakamura A, Kagoshima M, Takeda S, Shoji S, Yanagisawa N: Molecular analysis of the Duchenne muscular dystrophy gene in patients with Becker muscular dystrophy presenting with dilated cardiomyopathy, 1161 Yoshida T, Morita M, Yamanouchi Y, Okamoto K, Hirai S: A family with multicore disease, 568-L Yoshimura T, see Takeo C Young A, see Greig CA Young ML, see Ross MA Young RR, see Wiegner AW Yu SJ, see Pan S-PH Yuki N, Miyatake T, Ohsawa T: Beneficial effect of plasmapheresis on

Fisher's syndrome, 1267-L

Yuki N, Yamada M, Sato S, Ohama E, Kawase Y, Ikuta F, Miyatake T:

Association of IgG anti-GD12 antibody

with severe Guillain-Barré syndrome, 642 Yuki N, Yamazaki M, Kondo H, Suzuki K, Tsuji S: Treatment of multifocal motor neuropathy with a high dosage of intravenous immunoglobulin, 220-L

## 7

Zaveri HP, see Sackellares JC
Zhao S, Kim DH, Kline DG, Beuerman
RW, Thompson HW: Somatosensory
evoked potentials induced by
stimulating a variable number of
nerve fibers in rat, 1220
Zheng C, see Sackellares JC
Zhu H, see Sable AW
Zimmerman P, see Lin VWH
Zisfein J, see Esselman PC
Zollman PJ, see Kihara M
Zuniga G, see Kiers L
Zwarts MJ, see van der Hoeven JH
Zwarts MJ: Sensory potentials evoked by
magnetic stimulation of the cervical
spine, 289

